

HSM Office Technology 2016 Product Catalog



Document shredders

Hard drive shredders

Shredder baler combinations

Warehouse Management Solutions

Cutting machines

Accessories

HSM®



- HSM produces all document shredders in the HSM Classic, SECURIO and Powerline product ranges in Germany.
- Lifetime warranty on solid steel cutting rollers in HSM Classic and SECURIO document shredders at security levels P-2 to P-5. Cutting rollers are impervious to staples and paper clips.
- Precise cutting unit geometry for high efficiency (special V-Tek groove ensures a higher cutting capacity for the same energy consumption).
- Expertise in shredding various data storage media as well as paper: CDs/DVDs, credit cards, flash memory, hard drives etc.



Energy management and environmental protection

- The principles of sustainability and a sense of responsibility apply to the products and the production process.
- Use no electricity in standby: The document shredders HSM SECURIO C16 and HSM Classic 80.2 to 104.3.
- Save electricity with the intelligent control concept EcoSmart. The HSM SECURIO models C18 to B35 switch automatically to standby mode and are therefore permanently ready to use. The energy used in this mode is less than 0.1 W.
- Energy savings of up to 90%: The HSM SECURIO document shredders of the P-series have an efficient energy management system and make energy savings of up to 90% in comparison to conventional standby switches.
- Exclusive use of environmentally-friendly materials.
- Use of patented technology for maximum performance at low energy consumption.



Security and comfort

- The slight pressure on the safety element prevents unintentional intake and stops the document shredder immediately.
- Anti-Jam Technology with reverse function reduces paper jams and maintains high shredding performance.
- Quiet Operation due to optimal combination of motor and cutting unit. The low acoustic level ensures a quieter workplace.

Comprehensive service and support

- More peace of mind – before and after the purchase.
- Individual advice on products by our staff – on the phone, by email or onsite at your company.
- Training and education in areas like data privacy and cost savings through our HSM Academy.

GERMAN QUALITY

Quality without compromise. Almost all the manufacturing of our products is carried out in Germany. This sets us apart from others. Our innovative developments are based on tradition and years of experience. So, it is only logical that we offer products with proven technology, certified quality and long-term warranties.

www.hsmofamerica.com



Great Products, Great People.

We have been offering our customers "Made in Germany" quality for over 40 years.

With every HSM document shredder, you get a machine combined with decades of experience in manufacturing document shredders. HSM has developed into one of the international market leaders for document shredders from a small machinery plant in southern Germany due to its inventive spirit, expertise, high quality requirements and service orientation. Satisfied customers all over the world are impressed with HSM quality "Made in Germany" produced in the HSM production and assembly plants in Salem, Frickingen and Reichenbach.

Hermann Schwelling founded the company in a small workshop in 1971. With a clear commitment to its sites in Germany, HSM currently employs around 800 employees all over the world: highly-qualified specialists and managers, who have a considerable impact on the success of HSM. They ensure that HSM meets the high requirements of the product quality 100 %. "Great Products, Great People" – for the satisfaction and security of HSM customers.

Hermann Schwelling
Company founder HSM GmbH + Co. KG

The best way to ensure quality is to produce it yourself.

HSM stands for quality in development and construction, production, project management and service. All HSM plants are certified according to DIN EN ISO 9001 and are equipped to produce sustainable products. Recyclable materials, components with high-quality materials, wear-resistant designs, energy-saving drives and functions all ensure a long service life. In this way, the value of an HSM product is maintained long-term for each customer.



HSM produces all document shredders in the HSM SECURIO, Classic and Powerline ranges in Germany.

A decisive advantage – the HSM service.

We take service seriously – with a lot of commitment and we are always glad to help our customers. This not only applies to our headquarters but also to all HSM service centers in Germany and all over the world.

Our warranties and services:

- With every HSM document shredder from the SECURIO and Classic series, you receive a warranty for solid steel cutting rollers at security levels P-2 to P-5 for the entire lifetime of the machine (HSM Lifetime Warranty).

- Consulting service: individual product consulting, data protection advice, service support and advice on spare part requirements.
- Training and seminars on products, data protection and service.

Find out all about our services at
<http://www.hsmofamerica.com/us/service/online-service-portal>



HSM supports the OroVerde Guatemala Rain Forest project with every document shredder sold.

HSM and the principle of sustainability.

HSM manufactures long-lasting products that will not devalue in the future – and already operate efficiently today. These principles of sustainability and the sense of responsibility apply not only to HSM machines, but also to the production process, material selection and use of energy within the company.

Because of our commitment to Germany, HSM is embedded in optimal framework conditions for environmental protection. HSM is also committed to the OroVerde tropical rain forest charity. HSM supports these activities to protect wildlife, vegetation as well as the climate. It is a small but important step towards the larger goal of preserving the environment for coming generations.

Document shredders are now a necessity: misuse of data causes millions in damages!

Whether at home or at work: everyone needs to protect themselves from data misuse! Sensitive documents end up in the trash far too quickly; digital data media is disposed of quite carelessly. Yet we need to be extremely careful with personal data! Companies are even required to do so by the terms of the German, European and US data protection laws. Dangers of an entirely different caliber are out there as well: increasingly, companies are the targets of industrial espionage. Criminals seek

information in the environment of a company on prices, product development, technical expertise and company strategies. Firewalls and data encryption are all considered – but the proper disposal of information is forgotten. Are you shredding your hard drives with the same precautions as paper documents & flash drives? If not, then the door has been left wide open for industrial espionage and data misuse, and considerable damage to reputation or a financial loss is inevitable.

unsecure



secure



Data protection is underestimated!

In the news practically every week: data misuse is widespread and everyone is at risk when private data gets into the wrong hands. This can result in considerable financial loss but also a loss of reputation and esteem not measurable in monetary terms. That goes for your private life as well as work. Yet companies are obliged by the Data Protection Act in Germany or US and individual state privacy laws, to handle personal data responsibly and correctly. In many companies there is no consistent data protection process.

Data protection is often not sufficiently put into practice to ensure that theft and misuse can be prevented. Despite privacy laws, protection guidelines and costly fines, in many cases efforts to protect data are often superficial. This might explain why bank statements from a bank undergoing renovation work end up on the street, student records or medical data from patients can be found in the waste paper basket.

New times, new storage media, new standards

Why do I need to destroy data media?

Anyone who deals with confidential, personal or sensitive data has to ensure that the data is properly destroyed and disposed of in accordance with the German Federal Data Protection Act or the US Health Insurance Portability and Accountability Act (HIPAA). This means that data media must be shredded to make it impossible or as difficult as possible to reproduce the content of the data.

Shredding according to the DIN standard

The storage media containing our confidential data and information are varied. Along with paper, the classic data medium, digital data media now also plays a major role.

The DIN 66399 standard takes this diversity into account, and defines what security means for all our modern media. The DIN 66399 supersedes DIN 32757 and describes the requirements for machines and processes for shredding data media.

The standard was developed by the Standards Committee for Information Technology and Applications (NIA). Read all about the DIN 66399 on the following pages.

1. The 3 protection classes of the DIN 66399.

The protection requirement of your data is classified into three different classes. The type of data is checked to determine the protection requirement in the company. This identifies which need for protection is required, and therefore the protection class.

The protection classes

Risks	
Protection class 1 Normal security requirement for internal data.	Unauthorized publication or dissemination would have a limited negative impact on the company. Protection of personal data must be ensured. There would otherwise be a risk to the position and financial situation of the affected persons.
Protection class 2 High security requirement for confidential data.	Unauthorized dissemination would have a considerable affect on the company and could infringe legal obligations or laws. The protection of personal data must fulfil strict requirements. There would otherwise be a considerable risk to the social standing and financial situation of the affected persons.
Protection class 3 Very high protection requirements for particularly confidential and secret data.	Unauthorized dissemination would have serious terminal consequences for the company and infringe trade confidentiality obligations, contracts or laws. It is essential that the confidentiality of personal data is maintained. Otherwise there is a risk to the health and safety or personal freedom of the affected persons.

2. The 6 data media of the DIN 66399

The standard divides all the different data media into 6 categories. Each category contains an explanation of the data formats.

P Information in original size: e.g. paper, x-ray films, print forms	O Optical Data Media: e.g. CDs, DVDs, Blu-ray discs	T Magnetic data media: e.g. floppy disks, ID cards with magnetic strips
E Electronic data media: e.g. USB sticks, chip cards, solid state drives, flash memory from smartphones and tablet PCs, memory cards from digital cameras	F Information in reduced form: e.g. films, foils	H Hard drives with magnetic data media

3. The 7 security levels of the DIN 66399

The DIN 66399 standard divides each data media category into 7 security levels. The higher the security level, the smaller the particles.

Security levels	
Protection class 1	1
	2
	3
Protection class 2	3
	4
	5
Protection class 3	4
	5
	6
	7

Security level 1: **General** documents to be rendered illegible or invalidated.

Security level 2: **Internal** documents to be rendered illegible or invalidated.

Security level 3: Data media with **sensitive** and confidential data as well as **personal** data subject to high protection requirements.

Security level 4: Data media with **highly sensitive** and confidential data as well as **personal** data subject to **high** protection requirements.

Security level 5: Data media with confidential information of **fundamental importance** for a person, company or institution.

Security level 6: Data media with confidential documents in the case of **extraordinary security precautions**.

Security level 7: For **strictly confidential** data with the highest security precautions.

What security level do I need?

To find out exactly which security level is the right one for you, just follow the three steps at the top of this page. If you have different types of data media to be destroyed, the one requiring the highest security level is relevant for determining which cutting size you need.

1. Define your protection class ...

Protection class 1

Normal protection requirement for internal data.



Protection class 2

High protection requirement for confidential data.

Protection class 3

Very high protection requirements for particularly confidential and secret data.

2. ... which leads to the security levels.

Security levels

Security level 1

General documents to be rendered illegible or invalidated, for instance old advertising material such as catalogues, brochures.



Security level 2

Internal documents to be rendered illegible or invalidated, for instance internal company communication, such as out-of-date instructions, travel guidelines, notices, forms.



Security level 3

Data media with **sensitive** and confidential data as well as **personal** data subject to **high** protection requirements, e.g. company sales reports and tax documents as well as quotations, orders etc. with private address data.



Security level 4

Data media with **sensitive** and confidential data as well as **personal** data subject to **high** protection requirements, e.g. balances and conditions as well as payslips, personal data/files, work contracts, medical reports, tax documents.



Security level 5

Data media with confidential information of **fundamental importance** for a person, company or institution, e.g. patents, construction documents, strategic papers, competitor analysis, process documentation.



Security level 6

Data media with confidential documentation in the case of **extraordinary security** precautions, e.g. research and development documents, official areas.



Security level 7

For **strictly confidential** data with the highest security precautions e.g. Secret Service or military sectors.



3. Select the data media relevant for you.



e.g. paper, x-ray films, print forms



e.g. CDs, DVDs, Blu ray discs



e.g. floppy disks, ID cards with magnetic strips



e.g. USB sticks, chip cards, solid state drives, flash memory from smartphones and tablet PCs, memory cards from digital cameras



e.g. films, foils



e.g. hard drives with magnetic data media

Information in original size	Optical data media	Magnetic data media	Electronic data media	Information in reduced form	Hard drives with magnetic data media
P-1 ✓ Strip size max. 12 mm	O-1 ✓ Particle size max. 2000 mm ²	T-1 ✓ Mechanically inoperable	E-1 ✓ Mechanically/electronically inoperable	F-1 ✓ Particle size max. 160 mm ²	H-1 ✓ Mechanically/electronically inoperable
P-2 ✓ Strip size max. 6 mm	O-2 ✓ Particle size max. 800 mm ²	T-2 ✓ Particle size max. 2000 mm ²	E-2 ✓ Split	F-2 ✓ Particle size max. 30 mm ²	H-2 ✓ Damaged
P-3 ✓ Particle size max. 320 mm ²	O-3 ✓ Particle size max. 160 mm ²	T-3 ✓ Particle size max. 320 mm ²	E-3 ✓ Particle size max. 160 mm ²	F-3 ✓ Particle size max. 10 mm ²	H-3 ✓ Deformed
P-4 ✓ Particle size max. 160 mm ²	O-4 ✓ Particle size max. 30 mm ²	T-4 ✓ Particle size max. 160 mm ²	E-4 ✓ Particle size max. 30 mm ²	F-4 ✓ Particle size max. 2,5 mm ²	H-4 ✓ Split and deformed several times. Particle size max. 2000 mm ²
P-5 ✓ Particle size max. 30 mm ²	O-5 ✓ Particle size max. 10 mm ²	T-5 ✓ Particle size max. 30 mm ²	E-5 ✓ Particle size max. 10 mm ²	F-5 ✓ Particle size max. 1 mm ²	H-5 ✓ Split and deformed several times. Particle size max. 320 mm ²
P-6 ✓ Particle size max. 10 mm ²	O-6 ✓ Particle size max. 5 mm ²	T-6 ✓ Particle size max. 10 mm ²	E-6 ✓ Particle size max. 1 mm ²	F-6 ✓ Particle size max. 0,5 mm ²	H-6 ✓ Split and deformed several times. Particle size max. 10 mm ²
P-7 ✓ Particle size max. 5 mm ²	O-7 ✓ Particle size max. 0,2 mm ²	T-7 ✓ Particle size max. 2,5 mm ²	E-7 ✓ Particle size max. 0,5 mm ²	F-7 ✓ Particle size max. 0,2 mm ²	H-7 ✓ Split and deformed several times. Particle size max. 5 mm ²

Security levels with widths and particle sizes at a glance:

All security levels achieved with ✓ HSM document shredders.

Document shredders / Hard drive shredder product finder

Scope of application	Protection class	Security level*	Cutting Capabilities	Model*†
Home / small office 1 up to 3 persons	1	P-2 / O-1 / T-1 / E-2		shredstar: S10
	1	P-2		Classic: 80.2
	1	P-2 / T-2 / E-2		SECURIO: C14, C16, C18, Classic: 90.2, 102.2
	1	P-2 / O-2 / T-2 / E-2		shredstar: PS825s
	2	P-4 / O-1 / T-2 / E-2 / F-1		shredstar: X10, PS820c, BS12c, BS14c, X5, X8
	2	P-4 / F-1		Classic: 80.2, 90.2, 102.2 shredstar: BS10Cs, BS6Ms
	2	P-4 / T-4 / E-3 / F-1		SECURIO: C14, C16, C18
	2	P-5 / T-5 / E-4 / F-2		SECURIO: C18
	2	P-4 / O-3 / T-4 / E-4 / F-1		shredstar: MS12c
Office 1 up to 5 persons	1	P-2 / O-2 / T-2 / E-2		SECURIO: B22, B24, B26, B32 Classic: 104.3, 108.2
	1	P-2 / O-2 / T-2 / E-2		Classic: 125.2
	2	P-4 / T-4 / E-3 / F-1		SECURIO: B22, Classic 104.3, 108.2, 125.2
	2	P-4 / T-2 / E-2 / F-1		shredstar: X6pro
	2	P-4 / O-3 / T-4 / E-3 / F-1		SECURIO: AF150, AF300, B24, B26, B32,
	2	P-4 / O-3 / T-4 / E-3 / F-1		Classic 225.2
	2-3	P-5 / T-5 / E-4 / F-2		SECURIO: AF150, AF300, B22, B24, B26, B32 shredstar: PS817c
	3	P-6 / F-3		Classic: 125.2, 225.2
	3	P-7 / F-3		SECURIO: B24 Classic: 125.2, 225.2
	3	F-4	code tape	Classic: nanoshred 726
Large office 5 up to 8 persons	1	P-2 / O-2 / T-2 / E-2		SECURIO: B34, B35, Classic: 386.2
	1	P-2 / O-2 / T-2 / E-2		Classic 225.2
	2	P-4 / T-4 / E-3 / F-1		Classic: 386.2
	2	P-4 / O-3 / T-4 / E-3 / F-1		SECURIO: AF500, B34, B35
	2	P-4 / O-3 / T-4 / E-3 / F-1		Classic: 225.2
	2-3	P-5 / T-5 / E-4 / F-2		SECURIO: AF500, B34, B35
	3	P-6 / F-3		Classic: 225.2
	3	P-7 / F-3		SECURIO: B34, Classic: 225.2


TIP!

Using the DIN standard in practice:

1. **Determine the protection class** for the data you want to shred.
2. **Select the security level.** The protection class issued then offers you a choice of three security levels. The higher the security level you select, the smaller and therefore more secure the particles are shredded.
3. Check **what type of data media** you need to deal with. Paper, CDs, magnetic storage, electronic storage, hard drives etc.
4. **Now connect data media and security level.** You can now use this information to select the appropriate document shredder.

Scope of application	Protection class	Security level*	Cutting Capabilities	Model* ¹
Department 8 up to 15 persons	1	P-2 / O-2 / T-2 / E-2		SECURIO: P36, P40, Classic: 390.3
	1	P-2 / O-2 / T-2 / E-2		SECURIO: P44, Classic: 411.2
	1-2	P-3 / O-2 / T-3 / E-2		Classic: 411.2
	2	P-4 / O-3 / T-4 / E-3 / F-1		SECURIO: P36
	2	P-4 / O-3 / T-4 / E-3 / F-1		SECURIO: P40
	2	P-4 / O-3 / T-4 / E-3 / F-1		SECURIO: P44
	2-3	P-5 / T-5 / E-4 / F-2		SECURIO: P36, Classic: 390.3
	2-3	P-5 / O-4 / T-5 / E-4 / F-2		SECURIO: P40
	2-3	P-5 / O-4 / T-5 / E-4 / F-2		SECURIO: P44
	3	P-6 / F-3		Classic: 390.3, 411.2
	3	P-7 / F-3		SECURIO: P36, Classic: 390.3, 411.2
	3	O-5 / T-6 / E-5		Classic: 411.2 OMDD
Separate cutting unit	3	P-7 / O-6 / T-6 / E-5 / F-3		SECURIO:
	1	P-2 / O-2 / T-2 / E-2		Powerline: FA 400.2
	1-2	P-3 / O-2 / T-3 / E-2		Shredder Baler Combinations
	1-2	P-3 / O-2 / T-3 / E-2		Powerline: FA 500.3
	2-3	P-4 / O-3 / T-4 / E-3 / F-1		Powerline: 450.2 Shredder Baler Combinations: SP4040V
Industrial more than 15 persons	2-3	P-5 / O-4 / T-5 / E-4 / F-2		Powerline: FA 500.3
	2	O-1 / T-2 / E-2 / H-4		Powerline: HDS 230-1 single-stage hard drive shredder
	2-3	O-3 / T-3 / E-2 / H-5		Powerline: HDS 230-2 dual-stage hard drive shredder
	2	O-1 / T-2 / E-2 / H-4		Powerline: HDS 230-3 single-stage hard drive shredder
Hard drives / Data media	2	T-1 / E-2 / H-3		Powerline: HDS 150
	2	T-1 / E-2 / H-3		Powerline: HDS 150
	2	T-1 / E-2 / H-3		Powerline: HDS 150
	2	T-1 / E-2 / H-3		Powerline: HDS 150

) Comparison of old DIN 32757-1 / new DIN 66399 refer to the product table 1) Refer to the product table for the cutting size



Shredding different types of data media securely.

You have documents with protection class 2 which need to be shredded. You select security level 4, as this involves strictly confidential personal data. The information is on paper and on DVDs, i.e. data media in the P and O categories. You need a document shredder which can shred both media types. The right security level for paper is P-4, and for DVDs O-3. To find the right document shredder, look for the combination P-4/O-3.

HSM offers a great range of document shredders worldwide – for virtually every application area.

Do you need a compact document shredder to use at home, a main unit for a busy office, a complete waste disposal station for large quantities of documents or a shredder for your digital data storage media? In the HSM SECURIO, Classic, shredstar and

Powerline product ranges as well as hard drive shredders, you will find the right machine for your requirements. In any price category, at any security level, at any performance class and for any data storage medium.




Key to symbols

Materials that can also be shredded as well as paper:



Staples and paper clips



Credit and customer cards



CDs / DVDs



Discs



USB sticks

Technical services:



Motor



Intake width / working width



Container / collection volume



Voltage / frequency



Max. paper format

**Much easier than you would expect:
Data protection with HSM!**

Now find the right document shredder for any demand.





HSM SECURIO shredders

The Premium range from HSM: Maximum quality in design, convenience and function.

[Page 14 - 25](#)



HSM Classic shredders

Quality document shredders with maximum reliability.
Solid, functional, user-friendly.

[Page 26 - 30](#)



HSM shredstar shredders

Getting started in data protection: functional document shredders for a small budget and a small office.

[Page 31 - 36](#)



HSM High Security shredders

Specially developed by HSM to meet the highest security precaution requirements.

[Page 37 - 44](#)



HSM Powerline industrial shredders

Ideal for destroying large quantities of materials such as archives and bulk storage.

[Page 45 - 48](#)



HSM Shredder baler combinations

Complete, waste disposal stations built for shredding large quantities.

[Page 49 - 51](#)



HSM Warehouse Management Solutions

Innovative and practical warehouse management solutions all designed to reduce costs, be environmentally friendly and conserve precious space.

[Page 52 - 60](#)



HSM Cutting Machines

Roller cutters, guillotines or stack cutters – the product range includes machines for the home office, as well as professional machines for batch processing.

[Page 61 - 64](#)



HSM Shred Bins & Carts

Keeps sensitive and confidential documents safe until it is time to shred.

[Page 65 - 66](#)



HSM Accessories

Our complete solution for HSM machines: reusable collecting bags, oil, polyester tape, cardboard boxes, everything you need to keep your HSM Machines running at optimum level.

[Page 67 - 69](#)

HSM SECURIO
shredders

HSM Classic
shredders

HSM shredstar
shredders

HSM
High Security
shredders

HSM Powerline
shredders

HSM Shredder
baler combinations

HSM Warehouse
Management
Solutions

HSM Cutting
Machines

HSM Shred Bins
& Carts

HSM Accessories

HSM SECURIO document shredders

*Stylish elegance for the office.
Now with a 3 years warranty.*



HSM SECURIO Document shredders

Are you looking for quality, durability and design? Then you have found the perfect answer with the HSM SECURIO document shredders. You can expect the highest level of quality here – Made in Germany. With a three-year warranty on all HSM SECURIO models. Regardless of whether you have chosen the C-series for the home office, the B-series for the workplace, the P-series for professional use or the AF-series with automatic paper feed: you are on the safe side with shredders from HSM!



HSM SECURIO C-series:

Space-saving, efficient and secure. The C-series impresses with its appealing compact design and ease of use. Perfect for document shredding at the office or at home.



HSM SECURIO B-series:

Space-saving, reliable and versatile. The B-series impresses with its high level of performance and maximum functionality. The product range offers document shredders for the workplace or small working groups of up to eight people.



HSM SECURIO P-series:

Professionalism at the highest level. The P-series impresses with its smooth running and perfectly balanced cutting units for a consistently high cutting performance. Ideal for document shredding for large working groups for up to fifteen people.



HSM SECURIO AF-series:

Innovative, convenient and time-saving. The autofeed paper shredders of the AF-line with Nanogrip Technology combine functionality and ease of use. For the reliable and easy shredding of stacks of paper and individual sheets of paper.

HSM SECURIO AutoFeed shredders

Innovative, easy to use and time-saving.



Excellent environmental consideration: HSM SECURIO document shredders

Low energy consumption, durable design and the avoidance of materials that are harmful to the environment characterize HSM shredders. These were the reasons for awarding the document shredders from the HSM SECURIO series with the Blue Angel. We are particularly proud of this.

Thanks to the energy-saving management systems, HSM SECURIO document shredders are particularly efficient.



Great for users who care about the environment!

1. The document shredders HSM SECURIO C14 and C16 does not consume any power in stand-by mode.
2. Save power with the intelligent control program EcoSmart. The HSM SECURIO C18 to B35 document shredders automatically switch to stand-by mode and are therefore always ready for operation. The energy demand is less than 0.1 Watt here.
3. Achieve up to 90 % in energy savings: The P-series HSM SECURIO document shredders have an energy-saving management system and save up to 90 % in energy in comparison to conventional stand-by switches.


HSM SECURIO document shredders

The latest technology that excites



Very practical

The design viewing window – typical for the HSM SECURIO shredder series. You can always see how full the waste container is by looking through the window and it can therefore always be emptied in good time.



Specially hardened solid steel cutting rollers

The specially hardened cutting rollers made from solid steel are impervious to staples and paper clips and guarantee a long service life.



Multifunction element for intuitive operation

The device can be intuitively operated with the multifunction element.



Automatic reverse

The automatic reverse rectifies paper jams and ensures smooth operation.



Pressure-sensitive safety element

The device automatically switches off if pressure is applied to the safety element.



Continuous operation and low noise

Reliable operation even for continuous load. Optimum design of cutting and drive components as well as the closed gear mechanism ensure low noise.



Simple emptying

1 To empty the waste container, the housing top can be easily removed – a practical, recessed grip facilitates handling.


2 The waste container can be easily removed and emptied.

3 After opening the door, the removable, reusable collecting bag can be easily removed and emptied.



Integrated automatic oiler

This maintenance friendly document shredder has an integrated automatic oiler which ensures that you have a consistently high cutting capacity.



External oiler

For a consistently high cutting performance, this low maintenance document shredder has an external automatic oiler as an option.



Separate CD cutting unit (4 x 7 mm)

The separate media cutting unit with a waste container effortlessly shreds CDs / DVDs, credit and loyalty cards as well as floppy discs into small particles (4 x 7 mm). The shredded material can then be disposed of with the waste materials already sorted.



Separate OMDD cutting unit (2 x 2 mm)

The separate media cutting unit with a waste container effortlessly shreds CDs / DVDs, credit and loyalty cards as well as floppy discs into small particles (2 x 2 mm). The shredded material can then be disposed of with the waste materials already sorted.



PAPERcontrol paper thickness measurement

PAPERcontrol for measuring the paper thickness avoids annoying paper jams. An LED display signals whether the stack of papers can be destroyed in a single work process.



Metal detection

A separate metal detection feature protects the cutting unit and stops the device if metal parts, such as staples, are inserted. These can be removed and the shredding process can continue.



Parallel operation: Autofeed and manual feed of paper possible

Useful dual function: During the autofeed stack processing, it is possible to manually feed paper at the same time.



Nanogrip Technology for reliable sheet intake

The document shredders with auto-feed have a specially developed intake and transport rollers which use Nanogrip Technology. This enables sheet after sheet to be pulled in securely from the stack of paper.



Time-saving and easy to use

Paper stacks of up to 500 sheets can be put into the magazine and destroyed automatically.



Lock-and-Go function (AF300 / AF500)

It is possible to secure the paper stack inserted into the magazine against unauthorized access by using the Lock-and-Go function. To this end, an individual security code is saved on a USB medium per stack processing. After starting, the shredding process can only be interrupted by the owner of the USB medium.

	300 W
	5.3 gal
	8.9 in
	115 V/ 60Hz



HSM SECURIO C14 document shredder

NEW

DE LW AJ EM QO ST TAA

Space-saving, quiet and reliable: the shredder for your home office. No power use in standby, has a high degree of user safety - and all of this in a great modern design.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened steel with lifetime warranty
- Quiet operation minimizes noise development in the workplace
- Zero power consumption in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Paper feed with overload protection reduces paper jams
- The device automatically switches off if pressure is applied to the safety element
- Practical automatic start/stop
- Effortless emptying of the waste container via the removal housing top

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM2250	1/8"	strip	10 - 12 sheets	2	P-2 / T-2 / E-2	
HSM2253	5/32" x 1"	cross	5 - 6 sheets	3	P-4 / T-4 / E-3 / F-1	
Dimensions (HxWxD): 17.9" x 14.4" x 10.2" color: white						

	300 W
	6.6 gal
	8.8 in
	115 V/ 60Hz



HSM SECURIO C16 document shredder

DE LW AJ EM QO ST TAA

Small, sleek and secure – the entry-level model of the C series. With cutting rollers made from hardened steel and a pressure-sensitive safety element. The ideal document shredder for the desk.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System Zero Power: particularly low power consumption of 0.1 watt in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- The device automatically switches off if pressure is applied to the safety element
- Practical automatic start / stop
- Effortless emptying of the waste container via the removable housing top
- Dust emission tested by independent institute has proven safe & harmless
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1900	1/8"	strip	13 - 15	2	P-2 / T-2 / E-2	
HSM1901	1/4"	strip	16 - 18	2	P-2 / T-2 / E-2	
HSM1902	5/32" x 1"	cross	6 - 7	3	P-4 / T-4 / E-3 / F-1	
Dimensions (HxWxD): 17.9" x 14.4" x 11.3" color: white						

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM SECURIO document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

	400 W
	6.6 gal
	9.1 in

115 V/
60Hz



HSM SECURIO C18 document shredder

Compact, functional and convenient. With cutting rollers made from hardened steel and a pressure-sensitive safety element. The quiet document shredder with a removable waste container – for demanding users in the private sector or in the home.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System EcoSmart: particularly low power consumption of 0.1 watt in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- The device automatically switches off if pressure is applied to the safety element
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Removable waste container for effortless emptying
- Dust emission tested by independent institute has proven safe & harmless
- Level indicator through inspection window in the waste container

DE LW AJ EM QO ST TAA



	440 W
	8.7 gal
	9.4 in

60Hz



HSM SECURIO B22 document shredder

Data security made easy! The powerful entry level model of the B series for the workplace. With automatic start / stop and overload protection. The waste container with 8.7 gallons of capacity can be easily removed and emptied.

- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System EcoSmart: particularly low power consumption of 0.1 watts in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- Safety element prevents unintentional entry
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Removable waste container for effortless emptying
- Level indicator through inspection window in the waste container

DE LW AJ EM CD QO ST TAA



Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1830	1/8"	strip	16 - 18	2	P-2/T-2/E-2	
HSM1831	1/4"	strip	22 - 24	2	P-2/O-2/T-2/E-2	
HSM1833	1/8" x 1 1/8"	cross	12 - 14	3	P-4/T-4/E-3/F-1	
HSM1832	1/16" x 9/16"	micro	9 - 11	4	P-5/T-5/E-4/F-2	

Dimensions (HxWxD): 23.1" x 14.8" x 11.3" color: white

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM SECURIO document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

500 W	9 gal	9.5 in	115 V/ 60Hz



HSM SECURIO B24 document shredder

For increased data security in a modern design. The quiet document shredder with an anti-paper jam function and powerful drive components is designed for continuous operation. We recommend it for use in the workplace.

DE LW AJ CD EM QO ST TAA

- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System EcoSmart: particularly low power consumption of 0.1 watt in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- Safety element prevents unintentional entry
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Removable waste container for effortless emptying
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1780	1/8"	strip	22 - 24	2	P-2/T2/E-2	
HSM1781	1/4"	strip	28 - 30	2	P-2/O-2/T2/E-2	
HSM1783	3/16" x 1 1/8"	cross	17 - 19	3	P-4/O-3/T4/E-3/F-1	
HSM1782	1/16" x 9/16"	micro	11 - 13	4	P-5/T5/E-4/F-2	

Dimensions (HxWxD): 23.8" x 12.5" x 15.5" **color:** white

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part # + O	all cross & micro-cut versions

500 W	14.5 gal	11 in	115 V/ 60Hz



HSM SECURIO B26 document shredder

DE LW AJ CD EM QO ST CS TAA

Data security at the highest level. Thanks to the smooth and powerful cutting system, this document shredder is particularly suitable for data destruction in the workplace or for small working groups.

- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel with lifetime warranty
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System EcoSmart: particularly low power consumption of 0.1 watt in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- The device automatically switches off if pressure is applied to the safety element
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Removable waste container for effortless emptying
- Dust emission tested by independent institute has proven safe & harmless
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1800	1/8"	strip	22 - 24	2	P-2/T2/E-2	
HSM1801	1/4"	strip	28 - 30	2	P-2/O-2/T2/E-2	
HSM1803	3/16" x 1 1/8"	cross	17 - 19	3	P-4/O-3/T4/E-3/F-1	
HSM1802	1/16" x 9/16"	micro	11 - 13	4	P-5/T5/E-4/F-2	

Dimensions (HxWxD): 26.6" x 19.6" x 15.5" **color:** white

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part # + O	all cross & micro-cut versions

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM SECURIO document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

	500 W
	21.7 gal
	12.2 in
	115 V/ 60Hz



HSM SECURIO B32 document shredder

High quality materials, proven quality – the reliable security partner in the workplace. It is the perfect device for working groups from five to eight people.



- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System EcoSmart: particularly low power consumption of 0.1 watt in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- Safety element prevents unintentional entry
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1820	1/8"	strip	22 - 24	2	P-2 / O-2 / T-2 / E-2	
HSM1821	1/4"	strip	28 - 30	2	P-2 / O-2 / T-2 / E-2	
HSM1823	3/16" x 1 1/8"	cross	17 - 19	3	P-4 / O-3 / T-4 / E-3 / F-1	
HSM1822	1/16" x 9/16"	micro	11 - 13	4	P-5 / T-5 / E-4 / F-2	

Dimensions (HxWxD): 31.2" x 19.6" x 15.7" **color:** white

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part # + O	all cross & micro-cut versions

	650 W
	26.4 gal
	12.2 in
	115 V/ 60Hz



HSM SECURIO B34 document shredder

This premium document shredder in an elegant design provides for data security in an open-plan office. Thanks to the powerful drive, it reliably and quietly shreds the incoming amounts of data from up to eight people.



- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System EcoSmart: Particularly low power consumption of 0.1 watts in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- Safety element prevents unintentional entry
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1840	1/8"	strip	28 - 30	2	P-2 / O-2 / T-2 / E-2	
HSM1841	1/4"	strip	35 - 37	2	P-2 / O-2 / T-2 / E-2	
HSM1843	3/16" x 1 1/8"	cross	22 - 24	3	P-4 / O-3 / T-4 / E-3 / F-1	
HSM1842	1/16" x 9/16"	micro	13 - 15	4	P-5 / T-5 / E-4 / F-2	

Dimensions (HxWxD): 33.3" x 21.3" x 17.3" **color:** white

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part # + O	all cross & micro-cut versions

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM SECURIO document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

590 W	34.3 gal	15.75 in	115 V/ 60Hz



HSM SECURIO B35 document shredder



For more data security in the workplace. Excellent document shredder for professional data destruction in an open-plan office for up to eight people.

- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System EcoSmart: Particularly low power consumption of 0.1 watts in standby mode
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- Safety element prevents unintentional entry
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1920	1/8"	strip	30 - 32	2	P-2 / O-2 / T-2 / E-2	
HSM1921	1/4"	strip	40 - 42	2	P-2 / O-2 / T-2 / E-2	
HSM1923	3/16" x 1 1/8"	cross	24 - 26	3	P-4 / O-3 / T-4 / E-3 / F-1	
HSM1922	1/16" x 9/16"	micro	16 - 18	4	P-5 / T-5 / E-4 / F-2	

Dimensions (HxWxD): 34.25" x 24.3" x 20.67" **color:** white

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part # + O	all cross & micro-cut versions

1600 W	38.3 gal	13 in	115 V/ 60Hz



HSM SECURIO P36 document shredder



Equipped to handle large jobs, this shredder can tackle entire departments at the maximum security level.

- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System: 90% energy savings thanks to the sleep mode and automatic shutdown
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- Safety element prevents unintentional entry
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1850	1/8"	strip	37 - 39	2	P-2 / O-2 / T-2 / E-2	
HSM1851	1/4"	strip	47 - 49	2	P-2 / O-2 / T-2 / E-2	
HSM1853	3/16" x 1 1/8"	cross	29 - 31	3	P-4 / O-3 / T-4 / E-3 / F-1	
HSM1852	1/16" x 9/16"	micro	18 - 20	4	P-5 / T-5 / E-4 / F-2	

Dimensions (HxWxD): 36.9" x 22.8" x 21.7" **color:** white

Options	Part #	Security level DIN 66399	Available for
Separate OMDD cutting unit (2 x 2 mm)	Part # + M	O-6 / T-6 / E-5	all cross-cut versions
Separate CD cutting unit (3.9 x 40 mm) and metal detection	Part # + E	O-3 / T-4 / E-3	Versions in Cutting size 0.78 x 11 mm and 1/32" x 3/16"
Separate CD cutting unit (2 x 2 mm) and metal detection	Part # + N	O-6 / T-6 / E-5	Versions in Cutting size 0.78 x 11 mm and 1/32" x 3/16"

*pending approval

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM SECURIO document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

	2100 W
	40 gal
	13 in
	115 V/ 60Hz



HSM SECURIO P40 document shredder

DE LW AJ CD EM QO ST CS TAA

Professional data destruction combined with incredibly smooth running. Thanks to the optimum coordination of all cutting unit and drive components, this document shredder effortlessly shreds the paper quantities in departments with up to fifteen people in continuous operation.

- High quality material and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Document shredders with cross have integrated automatic oilers
- Powerful motor allows for continuous operation
- Quiet operation minimizes noise development in the workplace
- Energy Management Control System: 90% energy savings thanks to the sleep mode and automatic shutdown
- Blue Angel: The document shredder is awarded for its sustainability
- Automatic paper feed with overload protection reduces paper jams
- The device automatically switches off if pressure is applied to the safety element
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- Button lock prevents accidental use
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1880	1/8"	strip	45 - 47	2	P-2 / O-2 / T-2 / E-2	
HSM1881	1/4"	strip	58 - 60	2	P-2 / O-2 / T-2 / E-2	
HSM1883	3/16" x 1 1/8"	cross	35 - 37	3	P-4 / O-3 / T-4 / E-3 / F-1	
HSM1882	1/16" x 9/16"	micro	22 - 24	4	P-5 / O-4 / T-5 / E-4 / F-2	

Dimensions (HxWxD): 36.9 x 23.5" x 22.5" color: white

Options	Part #	Security level DIN 66399	Available for
Separate OMDD cutting unit (2 x 2 mm)	Part # + M	O-6 / T-6 / E-5	HS Level 6
Separate CD cutting unit (3.9 x 40 mm) and metal detection	Part # + E	O-3 / T-4 / E-3	Versions in Cutting size 0.78 x 11 mm and 1/32" x 3/16"
Separate CD cutting unit (2 x 2 mm) and metal detection	Part # + N	O-6 / T-6 / E-5	Versions in Cutting size 0.78 x 11 mm and 1/32" x 3/16"

*pending approval

	2600 W
	55 gal
	16 in
	115 V/ 60Hz



HSM SECURIO P44 document shredder

DE LW AJ CD EM QO ST CS TAA

The top document shredder of the HSM SECURIO line. This powerhouse with 55 gallons of collection volume reliably processes large amounts of paper and is therefore ideal as a department document shredder.

- Cutting rollers made of hardened solid steel
- Document shredders with particle cut have integrated automatic oilers
- PAPERcontrol for paper thickness measurement signals whether a stack of papers can be destroyed in a single work process
- Powerful motor allows for continuous operation
- Energy management control system: 90 percent energy savings thanks to the sleep mode and automatic shutdown
- Automatic paper feed with overload protection reduces paper jams
- The device automatically switches off if pressure is applied to the safety element
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- Button lock prevents accidental use
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1870	1/8"	strip	61 - 63	2	P-2 / O-2 / T-2 / E-2	
HSM1871	1/4"	strip	76 - 78	2	P-2 / O-2 / T-2 / E-2	
HSM1873	3/16" x 2"	cross	43 - 46	3	P-4 / O-3 / T-4 / E-3 / F-1	
HSM1872	1/16" x 9/16"	micro	28 - 30	4	P-5 / O-4 / T-5 / E-4 / F-2	

Dimensions (HxWxD): 40.4" x 27.6" x 23.3" color: white

Options	Part #	Security level DIN 66399	Available for
Separate OMDD cutting unit (2 x 2 mm)	Part # + M	O-6 / T-6 / E-5	HS Level 6
Separate CD cutting unit (3.9 x 40 mm) and metal detection	Part # + E	O-3 / T-4 / E-3	Versions in Cutting size 0.78 x 11 mm and 1/32" x 3/16"
Separate CD cutting unit (2 x 2 mm) and metal detection	Part # + N	O-6 / T-6 / E-5	Versions in Cutting size 0.78 x 11 mm and 1/32" x 3/16"

*pending approval



500 W



9 gal



9.5 in

115 V/
60Hz

HSM SECURIO AF150 with automatic paper feed




The simple and convenient method of data destruction in the workplace. The document shredder with an automatic paper feed shreds stacks of paper with up to 150 sheets as well as single sheets of paper effortlessly while saving you time.

- High quality materials and "Made in Germany" quality for security and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Reliable and time-saving paper shredding with simultaneous dual functions: auto-feed for paper stacks while manually feeding small amounts of paper, CD/DVDs or credit cards
- Powerful motor allows for continuous operation
- Nanogrip technology for reliable sheet intake
- Useful dual function: Manual feed of paper during the autofeed stack processing
- Energy Management Control System EcoSmart: Particularly low power consumption of 0.1 watts in standby mode
- Dust emission tested by independent institute has proven safe & harmless
- Automatic reverse eliminates paper jams
- Quiet operation minimizes noise development in the workplace
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Removable waste container for effortless emptying
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets (Auto-feed/Ma)	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM2083	3/16" x 1 1/8"	cross	150 / 17 - 19	3	P-4 / O-3 / T4 / E-3 / F1	
HSM2082	1/16" x 9/16"	cross	150 / 11 - 13	4	P-5 / T5 / E-4 / F2	
HSM2085	1/32" x 7/16"	cross	150 / 5 - 7	5	P-6 / F3	

Dimensions (HxWxD): 15.5" x 15" x 29.1" **color:** white



HSM SECURIO AF300 with automatic paper feed



The simple and convenient method of data destruction in the workplace. The document shredder with an automatic paper feed and lockable stack protects inserted stacks of paper from unauthorized access and shreds stacks of paper with up to 300 sheets of paper as well as single sheets of paper easily while saving you time.

- High quality materials and "Made in Germany" quality for security and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Reliable and time-saving paper shredding with simultaneous dual functions: auto-feed for paper stacks while manually feeding small amounts of paper, CD/DVDs or credit cards
- Lock-and-Go function protects the inserted paper stack against unauthorized access
- Powerful motor allows for continuous operation
- Nanogrip technology for reliable sheet intake
- Useful dual function: Manual feed of paper during the autofeed stack processing
- Energy Management Control System EcoSmart: Particularly low power consumption of 0.1 watts in standby mode
- Dust emission tested by independent institute has proven safe & harmless.
- Automatic reverse eliminates paper jams
- Quiet operation minimizes noise development in the workplace
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Removable waste container for effortless emptying
- Level indicator through inspection window in the waste container

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets (Auto-feed/Manual)	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM2093	3/16" x 1 1/8"	cross	300 / 17 - 19	3	P-4 / O-3 / T4 / E-3 / F1	
HSM2092	1/16" x 9/16"	cross	300 / 11 - 13	4	P-5 / T5 / E-4 / F2	
HSM2095	1/32" x 7/16"	cross	300 / 5 - 7	5	P-6 / F3	

Dimensions (HxWxD): 15.5" x 17.1 x 32.9" **color:** white

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM SECURIO document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

 500 W
 21.7 gal
 9.5 in
 115 V / 60Hz



HSM SECURIO AF500 with automatic paper feed

The simple and convenient method of data destruction for work groups. The document shredder with an automatic paper feed and lockable stack protects inserted stacks of paper from unauthorized access and shreds stacks of paper with up to 500 sheets of paper as well as single sheets of paper easily while saving you time.

DE LW AJ CD EM QO ST CS TAA

- High quality materials and "Made in Germany" quality for security and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Reliable and time-saving paper shredding with simultaneous dual functions: auto-feed for paper stacks while manually feeding small amounts of paper, CD/DVDs or credit cards
- Lock-and-Go function protects the inserted paper stack against unauthorized access
- Powerful motor allows for continuous operation
- Nanogrip technology for reliable sheet intake
- Useful dual function: Manual feed of paper during the autofeed stack processing
- EcoSmart: Particularly low power consumption of 0.1 watts in standby mode
- Dust emission tested by independent institute has proven safe & harmless
- Automatic return eliminates paper jams
- Quiet operation minimizes noise development in the workplace
- Multifunction element for intuitive operation
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets (Auto-feed/Manual)	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM2103	3/16" x 1 1/8"	cross	500 / 17 - 19	3	P-4 / O-3 / T-4 / E-3 / F-1	   
HSM2102	1/16" x 9/16"	cross	500 / 11 - 13	4	P-5 / T-5 / E-4 / F-2	   
HSM2105	1/32" x 7/16"	cross	500 / 5 - 7	5	P-6 / F-3	 

Dimensions (HxWxD): 19.6" x 19.3" x 39.5" **color:** white

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM SECURIO document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.




HSM Classic shredders

Due to the "Made in Germany" quality and the solid design, the Classics from HSM are the epitome of reliability. Whether as a compact device next to the desk or as a powerful document shredder in the department – each "Classic" incorporates typical HSM technology for precise strip or cross cuts: durable cutting rollers made from hardened solid steel, an automatic return to prevent paper jams and a power-saving standby mode.

HSM Classic

Solid and proven technology



Specially hardened solid steel cutting rollers

The specially hardened cutting rollers made from solid steel are impervious to staples and paper clips and guarantee a long service life.



Automatic reverse

The automatic reverse rectifies paper jams and ensures smooth operation.



Continuous operation and low noise

Reliable operation even for continuous operation. Optimum design of cutting and drive components as well as the closed gear mechanism ensure low noise.



Light barrier for automatic start/stop control.

An integrated light barrier starts the device automatically and switches it off again after the paper feed ends.



Inspection window

The filling level of the waste container can be seen at all times through the inspection window.



Convenient & effortless emptying

After opening the door, the collection bag can be conveniently and effortlessly removed and emptied.

	120 V		4.5 gal		9 in		115 V/ 60Hz
--	-------	--	---------	--	------	--	----------------



HSM Classic 80.2 document shredder

Compact solid document shredder for the private sector or for use in a small office.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Energy Management Control System Zero Power: consumes zero power in standby mode
- Practical automatic start / stop
- Effortless emptying of the waste container via the removable housing top



Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1081	1/4"	strip	10 - 12	2	P-2	
HSM1082	5/32" x 1"	cross	5	3	P-4 / F-1	

Dimensions (HxWxD): 16" x 12" x 7.4" **color:** light grey

HSM Classic 90.2 document shredder

Compact and reliable document shredder for the small office with 6.6 gallons of collection volume. Thanks to the powerful motor, it deals easily with staples and paper clips.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Energy Management Control System Zero Power: consumes zero power in standby mode
- Practical automatic start / stop
- Effortless emptying of the waste container via the removable housing top



Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1376	1/4"	strip	15	2	P-2 / T-2 / E-2	
HSM1188	5/32" x 1"	cross	6	3	P-4 / F-1	

Dimensions (HxWxD): 16.6" x 12.8" x 9.4" **color:** light grey

HSM Classic 102.2 document shredder

Proven classic with practical automatic start / stop and inspection window to monitor the fill level. The reliable document shredder for the home office.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Energy Management Control System Zero Power: consumes zero power in standby mode
- Practical automatic start / stop
- Level indicator through inspection window in the waste container
- Removable waste container for effortless emptying



Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1104	1/4"	strip	18	2	P-2 / T-2 / E-2	
HSM1105	5/32" x 1"	cross	7	3	P-4 / F-1	

Dimensions (HxWxD): 19.7" x 14.3" x 10.7" **color:** light grey

HSM Classic 104.3 document shredder

High quality document shredder with light barrier for automatic start / stop and inspection window to monitor the fill level. For regular use in the workplace.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Energy Management Control System Zero Power: consumes zero power in standby mode
- Safety element prevents unintentional entry
- Practical automatic start / stop
- Level indicator through inspection window in the waste container
- Removable waste container for effortless emptying



Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1286	1/4"	strip	22 - 24	2	P-2 / O-2 / T-2 / E-2	
HSM1288	1/8" x 1 1/8"	cross	12 - 14	3	P-4 / T-4 / E-3 / F-1	

Dimensions (HxWxD): 23" x 14.7" x 11" **color:** light grey

	440 W		8.7 gal		9.5 in		115 V/ 60Hz
--	-------	--	---------	--	--------	--	----------------



DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	TAA - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM Classic document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

	440 W
	13 gal
	9.5 in
	115 V/ 60Hz



HSM Classic 108.2 document shredder

The powerful office document shredder with LED display and light barrier for automatic start/stop. The automatic return eliminates paper jams.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start/stop
- Energy Management Control System Zero Power: consumes zero power in standby mode
- Removable waste container for effortless emptying



Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1663	1/4"	strip	22 - 24	2	P-2 / O-2 / T-2 / E-2	
HSM1665	1/8" x 1 1/8"	cross	12 - 14	3	P-4 / T-4 / E-3 / F-1	

Dimensions (HxWxD): 28.6" x 15.8" x 10.7" **color:** light grey

	670W
	20 gal
	10 in
	115 V/ 60Hz



HSM Classic 125.2 document shredder

The powerful document shredder on castors for reliable data destruction in the office. Thanks to the powerful drive, it easily shreds the paper amounts from up to five people in continuous operation.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start/stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors



Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1272	1/4"	strip	28 - 30	2	P-2 / O-2 / T-2 / E-2	
HSM1274	1/8" x 1 1/8"	cross	16 - 18	3	P-4 / T-4 / E-3 / F-1	

Dimensions (HxWxD): 23.6" x 17.6" x 13.6" **color:** light grey

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part # + O	all cross-cut versions

	1440 W
	31.7 gal
	12 in
	115 V/ 60Hz



HSM Classic 225.2 document shredder

Solid and reliable document shredder with a powerful motor and high cutting performance for use in the open-plan office. Recommended for use by about five to eight people.


- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start/stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors



Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1341	1/4"	strip	40 - 42	2	P-2 / O-2 / T-2 / E-2	
HSM1343	1/8" x 1 1/2"	cross	25 - 27	3	P-4 / O-3 / T-4 / E-3 / F-1	

Dimensions (HxWxD): 35.2" x 19.7" x 18.5" **color:** light grey

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part # + O	all cross-cut versions



HSM Classic 386.2 document shredder


Solid and reliable document shredder with powerful 670-watt motor and high cutting performance for use in the open-plan office.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors
- Storage space for paper stacks

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1276	1/8"	strip	22 - 23	2	P-2 / O-2 / T2 / E-2	
HSM1278	1/8" x 1 1/8"	cross	14 - 16	3	P-4 / T4 / E-3 / F-1	

Dimensions (HxWxD): 33.8" x 22.5" x 16.2" **color:** light grey

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part no. + O	all cross-cut versions
Continuous form feed rack	1442050051	all versions



HSM Classic 390.3 document shredder


The powerful document shredder with cross and 39 gallons of collection volume. Recommended for the open-plan office for five to eight people.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1366	1/4"	strip	40 - 42	2	P-2 / O-2 / T2 / E-2	
HSM1368	1/8" x 1 1/2"	cross	25 - 27	3	P-4 / O-3 / T4 / E-3 / F-1	

Dimensions (HxWxD): 35.7" x 23.4" x 18.5" **color:** light grey

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part no. + O	all cross-cut versions



HSM Classic 411.2 document shredder

The most powerful document shredder with particle cut reliably provides for data security in office departments. Recommended for eight to fifteen people.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1566	1/4"	strip	65 - 67	2	P-2 / O-2 / T2 / E-2	
HSM1568	1/8" x 2"	cross	38 - 40	3	P-3 / O-2 / T3 / E-2	

Dimensions (HxWxD): 37.8" x 23.4" x 18.5" **color:** light grey

Options	Part #	Available for
Automatic oiler for cutting unit 250 ml	Part no. + O	all cross-cut versions
Continuous form feed rack	1442050051	all versions



DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM Classic document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.



HSM shredstar shredders

Data privacy concerns everyone! So shred sensitive data at the office or at home with a document shredder from the HSM shredstar series. These devices are characterized by their compact and modern design, by their high level of performance and ease of use with an unbeatable price-performance ratio.

HSM shredstar

Convincing technology for the office or the home



Easy to operate

The automatic reverse rectifies paper jams and ensures smooth operation at maximum cutting capacity.



Separate CD cutting unit (not available on all models)

The separate CD cutting unit easily shreds CDs and DVDs, credit and store cards. The shredded material is sorted into the separate CD waste container and can be disposed of separately.



Functional and clear

The LED indicator displays the operating state: ready for operation, container full and paper jam.



LED indicator

The LED indicator shows the operating state of the device.



Removable waste container (not available on all models)

The waste container can be easily removed and emptied.



Inspection window

The filling level of the waste container can be seen at all times through the inspection window.



Can be moved on castors (not available on all models)

For convenience, there are castors on the document shredder so it is easy to move around.

NEW FOR 2016

LW AJ EM QO

	150 W		4.7 gal		8.6 in		115 V/ 60Hz
--	-------	--	---------	--	--------	--	----------------



	230 W		2.1 gal		8.6 in		115 V/ 60Hz
--	-------	--	---------	--	--------	--	----------------



	130 W		4.7 gal		8.6 in		115 V/ 60Hz
--	-------	--	---------	--	--------	--	----------------



	130 W		4.7 gal		8.6 in		115 V/ 60Hz
--	-------	--	---------	--	--------	--	----------------



HSM shredstar X8 document shredder

Efficient and secure. With a convincing price-performance ratio. Your reliable particle cut document shredder with anti-paper jam function and separate CD cutting unit for use in the workplace.

- Automatic return eliminates paper jams
- Separate CD cutting unit with own waste container for sorted disposal
- Quiet operation minimizes noise development in the workplace
- The LED indicator shows the operating state of the device
- Light barrier for automatic start/stop
- Level indicator through inspection window in the waste container
- Effortless emptying of the waste container via removal housing top

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1044	5/32" x 1 3/8"	cross	8 sheets	3	P-4 / O-1 / T-2 / E-2 / F-1	

Dimensions (HxWxD): 15.94" x 13.19" x 8.86" **color:** black / silver

HSM shredstar MS12C document shredder

Reliable and user-friendly cross cut document shredder with separate CD cutting unit for use in the workplace.

- Tackles small amounts of documents and data with the touch of a finger
- Anti-Jam Technology prevents jams when machine is overloaded
- Energy Management Control System reduces power consumption by up to 90%
- Quiet operation minimizes noise development in the workplace
- Light barrier for automatic start / stop
- Manual & automatic reversing functions

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1055	5/32" x 1 3/8"	cross	12	3	P-4 / O-1 / T-2 / E-2 / F-1	

Dimensions (HxWxD): 11.25" x 13" x 9.9" **color:** black / silver

HSM shredstar S10 document shredder

New Design & Features for 2016

LW

Data protection at a low price. This modern and compact strip cut document shredder with a separate CD cutting unit protects your data at home or in a small office.

- Separate CD cutting unit with own waste container for sorted disposal
- The LED indicator shows the operating state of the device
- Overload protection
- Light barrier for automatic start / stop
- Effortless emptying of the waste container via the removable housing top

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1042	1/4"	strip	10	2	P-2 / O-1 / T-1 / E-2	

Dimensions (HxWxD): 15.94" x 13.19" x 8.86" **color:** black / silver

HSM shredstar X5 document shredder

New Design & Features for 2016

LW QO

Affordable data protection for the home or the small office.

- Separate CD cutting unit with own waste container for sorted disposal
- The LED indicator shows the operating state of the device
- Light barrier for automatic start / stop
- Level indicator through inspection window in the waste container
- Effortless emptying of the waste container via the removable housing top

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1043	5/32" x 1 3/8"	cross	5	2	P-4 / O-1 / T-2 / E-2 / F-1	

Dimensions (HxWxD): 15.94" x 13.19" x 8.86" **color:** black / silver

LW - shredstar lifetime warranty on cutting rollers

EM - Energy Management Control System

CO - shredstar Continuous Operation

AJ - Anti-Jam Technology

QO - Quiet Operation

When ordering please also consider the consumable materials for the HSM shredstar document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

250 W
 5.5 gal
 8.8 in
 115 V/
60Hz



HSM shredstar X10 document shredder

Professional data protection in the workplace. This convenient office document shredder with cross-cut and separate CD cutting unit reliably shreds files and CDs / DVDs.

LW AJ QO

- Separate CD cutting unit with own waste container for sorted disposal
- Quiet operation minimizes noise development in the workplace
- The LED indicator shows the operating state of the device
- Light barrier for automatic start / stop
- Level indicator through inspection window in the waste container
- Effortless emptying of the waste container via the removable housing top

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1015	5/32" x 1 3/8"	cross	10	3	P-4 / O-1 / T-2 / E-2 / F-1	

Dimensions (HxWxD): 17.5" x 9.4" x 14.4" color: black / silver

250 W
 5.5 gal
 8.8 in
 115 V/
60Hz



HSM shredstar X6pro document shredder

Reliable and user-friendly cross-cut document shredder with separate CD cutting unit for use in the workplace.

LW AJ QO

- Separate CD cutting unit with own waste container for sorted disposal
- Quiet operation minimizes noise development in the workplace
- The LED indicator shows the operating state of the device
- Light barrier for automatic start / stop
- Level indicator through inspection window in the waste container
- Effortless emptying of the waste container via the removable housing top

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1058	1/8" x 3/8"	micro	6	4	P-4 / T-2 / E-2 / F-1	

Dimensions (HxWxD): 17.5" x 14.4" x 9.4" color: black / silver

250 W
 5 gal
 8.9 in
 115 V/
60Hz



HSM shredstar BS10Cs document shredder

Data protection at a low price. This modern and compact cross cut document shredder protects your data at home or in a small office.

CO LW AJ EM QO

- Quiet operation minimizes noise development in the workplace
- Anti-Jam Technology prevents jams when machine is overloaded
- Continuous Duty Operation ensures continual shredding with no down time
- Energy Management Control System reduces power consumption by up to 90%
- Light barrier for automatic start / stop
- Full-bag indicator, overload protection
- Manual & automatic reversing functions
- Level indicator through inspection window in the waste container
- Castors for mobility

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1053	5/32" x 1 3/8"	cross	10	3	P-4 / F-1	

Dimensions (HxWxD): 16.75" x 18.25" x 8.6" color: black / silver

250 W
 5 gal
 8.9 in
 115 V/
60Hz



HSM shredstar BS6Ms document shredder

The epitome of "function meets affordability." Simple-to-use features in a convenient design, this compact paper shredder tackles small amounts of documents and data with the touch of a finger.

CO LW AJ EM QO

- Quiet operation minimizes noise development in the workplace
- Anti-Jam Technology prevents jams when machine is overloaded
- Continuous Duty Operation ensures continual shredding with no down time
- Energy Management Control System reduces power consumption by up to 90%
- Light barrier for automatic start / stop
- Manual & automatic reversing functions
- Full-bag indicator, overload protection
- Level indicator through inspection window in the waste container
- Effortless emptying of the waste container via the removable housing top
- Castors for mobility

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1054	1/8" x 3/8"	micro	6	4	P-4 / F-1	

Dimensions (HxWxD): 16.75" x 18.25" x 8.6" color: black / silver


LW - shredstar lifetime warranty on cutting rollers

EM - Energy Management Control System

CO - shredstar Continuous Operation

AJ - Anti-Jam Technology

QO - Quiet Operation



HSM shredstar BS12C document shredder


Reliable and user-friendly cross-cut document shredder with separate CD cutting unit for use in the workplace.



- Quiet operation minimizes noise development in the workplace
- Anti-Jam Technology prevents jams when machine is overloaded
- Continuous Duty Operation ensures continual shredding with no down time
- Energy Management Control System reduces power consumption by up to 90%
- Light barrier for automatic start / stop
- Full-bag indicator, overload protection
- Manual & automatic reversing functions
- Level indicator through inspection window in the waste container
- Castors for mobility

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1056	5/32" x 1 3/8"	cross	12	3	P-4 / O-1 / T-2 / E-2 / F-1	

Dimensions (HxWxD): 21.43" x 14.2" x 11.25" **color:** black / silver



HSM shredstar BS14C document shredder

Professional data protection in the workplace. This convenient office document shredder with cross-cut and separate CD cutting unit reliably shreds files and CDs / DVDs.



- Quiet operation minimizes noise development in the workplace
- Anti-Jam Technology prevents jams when machine is overloaded
- Continuous Duty Operation ensures continual shredding with no down time
- Energy Management Control System reduces power consumption by up to 90%
- Light barrier for automatic start / stop
- Full-bag indicator, overload protection
- Level indicator through inspection window in the waste container
- Manual & automatic reversing functions
- Effortless emptying of the waste container via the removable housing top
- Castors for mobility

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1057	5/32" x 1 3/8"	cross	14	3	P-4 / O-1 / T-2 / E-2 / F-1	

Dimensions (HxWxD): 21.43" x 14.2" x 11.25" **color:** black / silver



HSM shredstar PS817C document shredder

The epitome of "function meets affordability." Simple-to-use features in a convenient design, this compact paper shredder tackles small amounts of documents and data with the touch of a finger.



- Powers through 12 sheets of paper, creating 430 cross-cut / confetti-cut particles per page
- Anti-Jam Technology prevents jams when machine is overloaded
- Continuous Duty Operation ensures continual shredding with no down time
- Energy Management Control System reduces power consumption by up to 90%
- Quiet Operation - minimizes noise development in the workplace
- Lifetime warranty on cutting cylinder
- Manual & automatic reversing functions, and automatic start/stop
- Full-bag indicator, overload protection
- Castors for mobility

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1030	5/32" x 1 3/8"	cross	17	3	P-4 / O-3 / T-4 / E-3 / F-11	

Dimensions (HxWxD): 22.8" x 15" x 12.6" **color:** black / silver

	380 W
	7.1 gal
	9 in
	115 V/ 60Hz



HSM shredstar PS820C document shredder

Professional data protection in the workplace. This convenient office cross-cut document shredder with shreds files and CDs / DVDs.

CO LW AJ EM QO

- Quiet operation minimizes noise development in the workplace
- Anti-Jam Technology prevents jams when machine is overloaded
- Continuous Duty Operation ensures continual shredding with no down time
- Energy Management Control System reduces power consumption by up to 90%
- Light barrier for automatic start / stop
- Manual & automatic reversing functions
- Full-bag indicator, overload protection
- Level indicator through inspection window in the waste container
- Castors for mobility

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1051	5/32" X 1 3/8"	cross cut	20	3	P-4 / O-1 / T-2 / E-2 / F-1	

Dimensions (HxWxD): 22.8" x 15" x 12.6" **color:** black / silver

	200 W
	7.1 gal
	9 in
	115 V/ 60Hz



HSM shredstar PS825s document shredder

Reliable and user-friendly strip-cut document shredder with separate CD cutting unit for use in the workplace.

LW AJ EM QO

- Quiet operation minimizes noise development in the workplace
- Anti-Jam Technology prevents jams when machine is overloaded
- Energy Management Control System reduces power consumption by up to 90%
- Light barrier for automatic start / stop
- Manual & automatic reversing functions
- Full-bag indicator, overload protection
- Level indicator through inspection window in the waste container
- Castors for mobility

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1052	1/4"	strip	25	2	P-2 / O-2 / T-2 / E-2	

Dimensions (HxWxD): 22.8" x 15" x 12.6" **color:** black / silver

LW - shredstar lifetime warranty on cutting rollers

EM - Energy Management Control System

CO - shredstar Continuous Operation

AJ - Anti-Jam Technology

QO - Quiet Operation

When ordering please also consider the consumable materials for the HSM shredstar document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.



HSM High Security shredders

HSM's High Security Level 6 document shredders have been specially developed to meet the needs of government agencies. These machines guarantee the highest level of security for the destruction of highly confidential documents and offer data protection for all applications including entire departments and field deployment units. HSM High Security Level 6 shredders are Made in Germany.

- Features Anti-Jam Technology that prevents jams when machine is overloaded
- TAA compliant
- Meets DOD & NSA/CSS 02-01 & 04-02 mandatory security requirements
- Continuous Duty Operation ensures continual shredding with no down time



HSM High Security shredders

Guarantee the highest level of security in data destruction



Highest security available

For strictly confidential data with the highest security precautions, HSM's high security machines shred to the smallest size available on the market.




Light barrier for automatic start/stop control

Light barrier starts the device automatically and switches it off again after the paper feed ends.



Convenient & Effortless emptying

The waste container can be easily removed and emptied.



Continuous operation and low noise

Optimum design of cutting and drive components as well as the closed gear mechanism ensure low noise.



Inspection window (not available on all models)

The filling level of the waste container can be seen at all times through the inspection window.

DE - Made in Germany

CD - Continuous Duty Motor

QO - Quiet Operation

AJ - Anti-Jam Technology

LW - Lifetime Warranty on Solid Steel Cutting Rollers

EM - Energy Management Control System

ST - Quality Solid Steel Precision Cutting Heads

HS - High Security Solutions

TAA - TAA Compliant

CS - Comprehensive Safety System

**HSM SECURIO B24 High Security document shredder**

For maximum data security in a modern design. This quiet yet powerful machine is designed for continuous operation.

- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Energy Management Control System EcoSmart: Particularly low power consumption of 0.1 watt in standby mode
- High quality wooden floor cabinet with door
- Light barrier for automatic start / stop
- Mobile on castors
- Removable waste container for effortless emptying
- Level indicator through inspection window in the waste container
- Includes an external oiler



500 W 9 gal 9.5 in 115 V/
60Hz

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM17844	1/32" x 3/16"	cross	7 - 8	HS Level 6	P-7 / F-3	

Dimensions (HxWxD): 23.8" x 12.5" x 15.5" **color:** white

**HSM SECURIO B32 High Security document shredder**

High quality materials, proven quality – primarily used by the US governmental agencies, this shredder offers the highest level of security available.

- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Energy Management Control System EcoSmart: Particularly low power consumption of 0.1 watt in standby mode
- High quality wooden floor cabinet with door
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- Level indicator through inspection window in the waste container
- Includes an external oiler



500 W 21.7 gal 12.2 in 115 V/
60Hz

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM18244	1/32" x 3/16"	cross	7 - 9	HS Level 6	P-7 / F-3	

Dimensions (HxWxD): 31.2" x 19.6" x 15.7" **color:** white

*Pending Approval

**HSM SECURIO B34 High Security document shredder**

This premium document shredder in an elegant design provides for maximum data security in an open-plan office.

- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Energy Management Control System EcoSmart: Particularly low power consumption of 0.1 watt in standby mode
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container
- Includes an external oiler



650 W 26.4 gal 12.2 in 115 V/
60Hz

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM18444	1/32" x 3/16"	cross	10 - 12	HS Level 6	P-7 / F-3	

Dimensions (HxWxD): 33.3" x 21.3" x 17.3" **color:** white

**HSM SECURIO P36 High Security document shredder**

Equipped to handle large jobs, this shredder can tackle entire departments at the maximum security level.

- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Energy Management Control System EcoSmart: Particularly low power consumption of 0.1 watt in standby mode
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- Button lock prevents accidental use
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container
- Includes an internal oiler



1600 W 38.3 gal 13 in 115 V/
60Hz

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1854	1/32" x 3/16"	cross	12 - 14	HS Level 6	P-7 / F-3	

Dimensions (HxWxD): 36.9" x 22.8" x 21.7" **color:** white

1600 W	38.3 gal	13 in	115 V/ 60Hz



HSM SECURIO P36 High Security document shredder OMDD (Optical Media Destruction Device)



Two shredders in one, this maximum security shredder can easily shred confidential papers as well as discs.

- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Separate slot for the shredding of CDs/DVDs and credit cards
- Powerful motor allows for continuous operation
- Energy Management Control System: 90% energy savings thanks to the sleep mode and automatic shutdown
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container
- Includes an internal oiler

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1854M	1/32" x 3/16"	cross	12 - 14 2,500 pcs/hr OMDD	HS Level 6	P-7 / O-6 / T-6 / E-5 / F3	

Dimensions (HxWxD): 36.9" x 22.8" x 21.7" **color:** white

2100 W	40 gal	13 in	115 V/ 60Hz



HSM SECURIO P40 High Security document shredder



High quality materials, proven quality – primarily used by the US governmental agencies, this shredder offers the highest level of security available.

- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Energy Management Control System: 90% energy savings thanks to the sleep mode and automatic shutdown
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container
- Includes an internal oiler

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1884	1/32" x 3/16"	cross	14 - 16	HS Level 6	P-7 / F3	

Dimensions (HxWxD): 36.9" x 23.5" x 22.5" **color:** white

*Pending Approval

2100 W	40 gal	13 in	115 V/ 60Hz



HSM SECURIO P40 High Security document shredder OMDD (Optical Media Destruction Device)



This data carrier shredder is specifically designed for the shredding of paper, CDs and DVDs with the highest security requirements.

- Meets DOD & NSA/CSS 04-02 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Energy Management Control System: 90% energy savings thanks to the sleep mode and automatic shutdown
- Separate slot for the shredding of CDs/DVDs and credit cards
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container
- Includes an internal oiler

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1884M	1/32" x 3/16"	cross	14 - 16 2,500 pcs/hr OMDD	HS Level 6	P-7 / O-6 / T-6 / E-5 / F3	

Dimensions (HxWxD): 36.9" x 22.8" x 21.7" **color:** white

*Pending Approval

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM High Security document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

2600 W 55 gal 16in 115 V/
60Hz



HSM SECURIO P44 High Security document shredder

Equipped to handle large jobs, this shredder can tackle entire departments at the maximum security level.

DE AJ HS CD EM ST CS QO TAA

- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Energy Management Control System: 90% energy savings thanks to the sleep mode and automatic shutdown
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- Button lock prevents accidental use
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container
- Includes an internal oiler

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1874	1/32" x 3/16"	cross	18 - 20	HS Level 6	P-7 / F3	

Dimensions (HxWxD): 40.4" x 27.6" x 23.3" **color:** white

*Pending Approval

2600 W 55 gal 16in 115 V/
60Hz



HSM SECURIO P44 High Security OMDD (Optical Media Destruction Device)

Equipped to handle large jobs, this shredder can tackle entire departments at the maximum security level.

DE AJ HS CD EM ST CS QO TAA

- Meets DOD & NSA/CSS 04-02 mandatory security requirements
- High quality materials and "Made in Germany" quality for safety and durability; complete with a 3 year warranty
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Energy Management Control System: 90% energy savings thanks to the sleep mode and automatic shutdown
- Separate slot for the shredding of CDs/DVDs and credit cards
- Light barrier for automatic start / stop
- Mobile on castors
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Level indicator through inspection window in the waste container
- Includes an internal oiler

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1874M	1/32" x 3/16"	cross	18 - 20 2,500 pcs/hr OMDD	HS Level 6	O-6 / T-6 / E-5	

Dimensions (HxWxD): 40.4" x 27.6" x 23.3" **color:** white

*Pending Approval

295 W 1.3 gal 1.5 in 115 V/
60Hz



Nanoshred 726 document shredder

DE HS CD ST TAA

This special device is designed for the shredding of punched tape and meets the highest security requirements, e.g. those specified by high-level government security agencies.

- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start / stop

Part #	Cutting Size	Cutting Type	Cutting capacity in sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1674	1/32" x 7/64"	cross	1 code tape	HS Level 5	F-4	Code Tape

Dimensions (HxWxD): 10.2" x 15.8" x 10.6" **color:** light grey

	670 W		20 gal		10 in		115 V/ 60Hz
--	-------	--	--------	--	-------	--	----------------



HSM Classic 125.2 High Security document shredder

Specially developed to satisfy the needs of government agencies and others who need the highest security precautions.

DE AJ HS CD ST TAA

- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors
- Includes an external oiler

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1275	1/32" x 7/16"	cross	5 - 7	HS Level 5	P-6 / F3	
HSM15624	1/32" x 3/16"	cross	5 - 7	HS Level 6	P-7 / F3	

Dimensions (HxWxD): 32.6" x 17.6" x 13.6" **color:** light grey

	670 W		6.6 gal		10 in		115 V/ 60Hz
--	-------	--	---------	--	-------	--	----------------



HSM Classic 125.2 Field Deployable High Security document shredder

A field deployable, high security model able to sustain high impact while in case.

- State-of-the-art electronic controller
- Photoelectric cell for automatic start/stop control
- On/off switch with integrated reversing function
- Safety element above paper intake
- Standby mode with LED indicator
- Stops automatically when the shred bin is full and door is open
- Automatic reverse

DE AJ HS CD ST TAA

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1687	1/32" x 3/16"	cross	5 - 7	HS Level 6	P-7 / F3	

Dimensions (HxWxD): 17.6" x 13.6" x 15" **color:** light grey

	1600 W		31.7 gal		12 in		115 V/ 60Hz
--	--------	--	----------	--	-------	--	----------------



HSM Classic 225.2 High Security document shredder

Solid and reliable document shredder with a powerful motor and the high security cutting performance.

DE AJ HS CD ST TAA


- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors
- Includes an external oiler

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1344	1/32" x 7/16"	cross	10 - 11	HS Level 5	P-6 / F3	
HSM14584	1/32" x 3/16"	cross	10 - 12	HS Level 6	P-7 / F3	

Dimensions (HxWxD): 35.2" x 19.7" x 18.5" **color:** light grey

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM High Security document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.



HSM Classic 390.3 High Security document shredder


Powerful document shredder with the highest security cross cut and 39 gallons of collection volume.



- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors
- Includes an external oiler

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1369	1/32" x 7/16"	cross	10 - 11	HS Level 5	P-6 / F-3	
HSM16604	1/32" x 3/16"	cross	10 - 12	HS Level 6	P-7 / F-3	

Dimensions (HxWxD): 35.7" x 23.4" x 18.5" **color:** light grey



HSM Classic 411.2 High Security document shredder


Specially developed to satisfy the needs of government agencies and others who need the highest security precautions.



- Meets DOD & NSA/CSS 02-01 mandatory security requirements
- High quality materials and "Made in Germany" quality for security and durability
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Automatic return eliminates paper jams
- Safety element prevents unintentional entry
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors
- Includes an external oiler

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1569	1/32" x 7/16"	cross	17 - 19	HS Level 5	P-6 / F-3	
HSM15644	1/32" x 3/16"	cross	14 - 16	HS Level 6	P-7 / F-3	

Dimensions (HxWxD): 37.8" x 23.4" x 18.5" **color:** light grey



HSM Classic 411.2 High Security OMDD (Optical Media Destruction Device)

This data carrier shredder is specifically designed for the shredding of CDs / DVDs, credit cards or floppy discs with the highest security requirements and shreds the data carriers of large departments with about fifteen people. This OMDD device does not shred paper.



- High quality materials and "Made in Germany" quality for security and durability
- Included in the NSA/CSS Evaluated Product Line (EPL 04-02)
- Cutting rollers made of hardened solid steel with lifetime warranty
- Powerful motor allows for continuous operation
- Safety element prevents unintentional entry and serves as a splinter shield
- Light barrier for automatic start / stop
- Convenient and effortless removal and emptying of collection bag
- High quality wooden floor cabinet with door
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1570	.086" x .157"		2,500 pcs/hr	HS Level 6	O-5 / T-6 / E-5	

Dimensions (HxWxD): 37.8" x 23.4" x 18.5" **color:** light grey

When ordering please also consider the consumable materials for the HSM High Security document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.

HSM® High Security Additional Options

**Customize your HSM® High Security shredder
with the innovations you deem most important!**

Options for SECURIO P36, P40 & P44	Part number	Available for
Separate CD cutting unit (3.9 x 40 mm)	Part no. + C	Security level 3 & 4
Metal detection	Part no. + D	Security level 5, HS Level 6
Separate OMDD cutting unit (2.2 x 4 mm)	Part no. + M	Security level 5 & 6
Separate OMDD cutting unit (2.2 x 4 mm) and metal detection	Part no. + N	Security level 5, HS Level 6
Automatic oiler for cutting unit 250 ml	Part no. + O	all cross-cut versions






HSM Powerline

Data privacy in a big way – the HSM Powerline: The robust technology of the 400 V devices is specially designed for a large throughput and long total operating time. As a top model, the HSM Powerline FA 500.3 processes bound documents and folders with up to 550 sheets per cycle. The powerful large devices are ideal for large archives or as a central station for document shredding.

HSM Powerline industrial shredders

Sturdy systems for demanding users



Specially hardened solid steel cutting rollers

Its induction-hardened solid steel cutting rollers are low on wear, resistant and guarantee long service life.



Automatic reverse

The automatic reverse rectifies paper jams and ensures smooth operation.



Operating safety with emergency stop rail

High user safety is guaranteed by the safety circuit on the loading table which stops the machine if it is touched.



Low space requirement and narrow transport width

Thanks to the integrated rollers and compact size, the machine can be easily set up at the installation site and saves space.



Removable trolley

The device has a removable trolley (easy to get out of the machine) and the collecting bag itself can be re-used.

1 FA 400.2

2 FA 500.3



Extension of the loading table (FA 400.2 / FA 500.3)

For more space to store materials there is an extension to the loading table.



Discharge conveyor belt FA 500.3

The discharge conveyor belt makes the collection of the shredded material easy and convenient. Any standard container can be used to collect the material at the end of the conveyor belt.

	4000 W		76.6 gal		17.4 in		3x208 V/ 60Hz
--	--------	--	----------	--	---------	--	------------------



HSM Powerline 450.2 document shredder

This powerful large document shredder for three-phase power supply ensures data security in archives or as a central point for document shredding

DE LW AJ CD ST

- Optimized cutting device technology destroys 80-85 sheets of paper, creating 345 cross-cut / confetti-cut particles per page
- Obliterates large quantities such as archives and bulk storage
- Material feed via electronic conveyor belt
- Anti-Jam Technology prevents jams when machine is overloaded
- Continuous Duty Operation ensures continual shredding with no down time
- Lifetime warranty on cutting cylinder
- Made in Germany
- Baler with loading aperture/inspection flap for non-confidential documents or cardboard
- Modern SPS controller with multi-lingual display

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1503	1/8" x 2"	cross	80 - 85	3	P-4 / O-3 / T4 / E-3 / F-1	

Dimensions (HxWxD): 62.6" x 29.5" x 26.1" color: white

	4000 W		104 gal		17 in		3x208 V/ 60Hz
--	--------	--	---------	--	-------	--	------------------



HSM Powerline FA 400.2 document shredder

Thanks to its large throughput, this sturdy and durable document shredder is ideal for use in archives or central stations for document shredding. Recommended for up to fifteen people.

DE LW AJ CD ST

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via conveyor belt
- Powerful motor allows for continuous operation
- An automatic return eliminates paper jams
- Effortless emptying via a removable trolley with a reusable collecting bag
- User safety through emergency off switch
- Functional operator control panel with LED indicator
- Extension of the loading table by 600 mm; used for material storage (left or right)
- Mobile on castors.

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1513	1/4"	strip	130	2	P-2 / O-2 / T2 / E-2	
HSM1514	1/4" x 2"	cross	120	3	P-3 / O-2 / T3 / E-2	

Dimensions (HxWxD): 65" x 45.5" x 61.7" color: white

	9.2 kW		140 gal		20 in		3x208 V/ 60Hz
--	--------	--	---------	--	-------	--	------------------



HSM Powerline FA 500.3 document shredder

The top model of the large document shredder series HSM Powerline. This powerhouse is ideal for the shredding of large quantities in archives or central document shredding stations.

DE LW AJ CD ST

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via conveyor belt
- Powerful motor allows for continuous operation
- An automatic return eliminates paper jams
- User safety through emergency off rail
- Automatic oiler provides for consistently high cutting capacity
- Multifunction element for intuitive operation
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1991	9/32" x 1 1/2" - 3 5/32"	cross	500 - 550	3	P-3 / O-2 / T3 / E-2	
HSM1990*	1/4" x 1 9/16" - 2 1/16"	cross	400 - 450	3	P-3 / O-2 / T3 / E-2	
HSM1993	1/16" x 9/16"	cross	120 - 130	4	P-5 / O-4 / T5 / 5-4 / F2	

Dimensions (HxWxD): 71" x 46" x 71" color: white

Optional Equipment	Part number	Available for
Extension Table Extends loading table by 600 mm, on the left or right, as required	1990990010	all versions
Discharge conveyor belt 1450 mm discharge height	1990990025	all versions
Cart Tipper Additional shredder-material collecting trolley for FA 500.3	CT100	all versions
*Special Order		

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM Powerline document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.



2 HP

120 V/20 amp
or 30 amp

HSM Hard Drive Shredder/Backup Destroyer 150

LIMITED AVAILABILITY

DE CD ST

The hard drive shredder HSM Powerline HDS 150 destroys digital media devices in a safe and economical way – and is data protection compliant as well.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Hard drive shredder with 230 V power supply in a compact and modern design
- Very suitable for the decentralized destruction of a smaller quantity of data media
- Powerful, energy-saving power unit enables long operation at a low noise level
- Low maintenance due to closed direct drive unit
- An automatic return eliminates material jams
- Data media can be processed at a convenient working height
- Different function modes for the various type of material and maximum throughput
- Removable waste container for effortless emptying
- Multifunction element for intuitive operation
- Mobile on castors

Part #	Cutting Size	Device Type	Cutting Capacity	Security level DIN 66399	Cutting capabilities
HSM1772-1	1.5"	cross	500 hard drives	T-1 / E-2 / H-3	
HSM1772-2	1.5"	cross	700 hard drives	T-1 / E-2 / H-3	

Dimensions (HxDxW): 43.5 x 46.8 x 31.1 **color:** white



4+1.34 hp

3x208 V/
60Hz

HSM Hard Drive Shredder/Backup Destroyer 230

DE CD ST

Secure, data policy compliant and economical. This hard drive shredder shreds digital data carriers into little particles and makes data re-creation virtually impossible. Also shreds poker chips, cell phones, PDA's and more!

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Optional discharge conveyor belt for transporting material into a separate container
- Powerful motor allows for continuous operation
- An automatic return eliminates material jams
- User safety through emergency off switch
- Multifunction element for intuitive operation
- Practical storage table for data carriers
- Mobile on castors

Part #	Cutting Size	Device Type	Cutting Capacity	Security level DIN 66399	Cutting capabilities
HSM1778	.78" x 1.18" - 2"	single-stage	up to 2000 items/hr	O-1 / T-2 / E-2 / H-4	
HSM1777	.39" x 1" - 1.18"	dual-stage	up to 2500 items/hr	O-3 / T-3 / E-2 / H-5	
HSM1779	1.57"	single-stage	up to 2000 items/hr	O-1 / T-2 / E-2 / H-4	

Dimensions (HxDxW): single-stage: 66 3/4" x 41" x 120 3/8", dual-stage: 66 3/4" x 41" x 129 5/6" **color:** white

Optional Equipment	Part number	Available for
Exit Conveyor	1777200000	all versions
Catch Tray	1000008676	all versions




HSM Shredder baler combinations

The shredder baler combinations are complete, compact waste disposal stations. They provide for data security up to security level P-5 and compress the shredded material into bales, which can be easily transported and recycled. The HSM shredder baler combinations are ideal for shredding large quantities.

HSM Shredder baler combinations

Sturdy systems for demanding users



Specially hardened solid steel cutting rollers

Its induction-hardened solid steel cutting rollers are low on wear, resistant and guarantee long service life.



Energy-efficient IE 2 motors

The powerful motors with chain drive are low on wear, resistant and guarantee long service life. They guarantee reliable operation with maximum throughput – even during continuous operation.



Operating safety with emergency stop rail

High user safety is guaranteed by the safety circuit on the loading table which stops the machine if it is touched.



User safety through emergency off switch

It may be necessary to stop the machine immediately so we have equipped the device with an emergency off switch which, when activated, will do just this.



Bale weight can be manually set

The bale weight is variable and depends on your requirement.



Bale removal trolley (SP 4040 V)

The removal trolley allows for the easy removal and disposal of the compact bales.



Simple commissioning

The combination can be commissioned by a HSM service technician. Just contact our HSM customer service team and we will make all the arrangements for you.



Light barrier for automatic start

During the shredding process, an integrated light barrier starts the compression process automatically. It is therefore possible to feed the machine continuously without interruption.

 4000 W
 17 in
 208 V/
60Hz



 9200 W
 20 in
 208 V/
60Hz



 9200 W
 20 in
 208 V/
60Hz



HSM SP 4040 V Shredder baler combination

This compact combination of the large document shredder FA 400.2 and a vertical baling press is ideal for professional document shredding in large quantities, which are then compressed into bales of up to 77 lbs.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via non-slip conveyor belt
- Continuous operation is possible thanks to the powerful motor with a chain drive
- Automatic return eliminates paper jams
- Light barrier for automatic start of the compression process
- Shredder material is compressed into compact bales and can optionally be cleanly disposed of in a box or waste bag
- Practical removal trolley for the easy removal of bales
- Manual oiler for consistently high cutting capacity
- User safety through emergency off switch
- Functional operator control panel with LED indicator
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM3513	1/4"	strip	130	2	P-2 / O-2 / T-2 / E-2	
HSM3514	1/4" x 2"	cross	120	3	P-3 / O-2 / T-3 / E-2	

Dimensions (HxWxD): 77.5" x 42.9" x 79.9" **color:** white

Max Bale Size (HxWxD): 23.6" x 19.6" x 15.7" (box size), **Pressing Power:** 4 tons

HSM SP 5080 Shredder baler combination

This powerful combination of the large document shredder FA 500.3 and a counterplate baling press provides for data security in archives and compresses the shredded material into bales between 80 and 175 lbs.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via non-slip conveyor belt
- Continuous operation is possible thanks to the powerful motor with a chain drive
- Automatic return eliminates paper jams
- Simple commissioning of the combination using Plug-and-Play
- Light barrier for automatic start of the compression process
- Shredder material is compressed into compact bales and can optionally be cleanly disposed of in a box or waste bag
- The bale weight is variable depending on the requirement
- Automatic oiler provides for consistently high cutting capacity
- User safety through emergency off rail
- Multifunction element for intuitive operation
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM365520	9/32" X 1 1/2" - 3 5/32"	cross	500 - 550	2	P-3 / O-2 / T-3 / E-2	

Dimensions (HxWxD): 71" x 46" x 95" **color:** white

Max Bale Size (HxWxD): 22.24" x 19.29" x 31.49" (box size), **Pressing Power:** 8 tons

HSM SP 5088 Shredder baler combination

With this waste disposal station, HSM combines the large document shredder FA 500.3 with a channel baling press. It is therefore particularly ideal for use in archives or central stations for document shredding, even in large quantities, which are then compressed into bales up to 200 lbs. as needed.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via non-slip conveyor belt
- Continuous operation is possible thanks to the powerful motor with a chain drive
- Automatic return eliminates paper jams
- Simple commissioning of the combination using Plug-and-Play
- Light barrier for automatic start of the compression process
- Shredder material is compressed into compact bales, manually strapped three-fold and can also be disposed of cleanly in a waste bag
- The bale weight is variable depending on the requirement
- Automatic oiler provides for consistently high cutting capacity
- User safety through emergency off rail
- Multifunction element for intuitive operation
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM365511	9/32" X 1 1/2" - 3 5/32"	cross	500 - 550	2	P-3 / O-2 / T-3 / E-2	

Dimensions (HxWxD): 71" x 50" x 127" **color:** white

Max Bale Size (HxWxD): 19.68" x 19.68" x 37.4" (box size), **Pressing Power:** 9.5 tons

DE LW AJ CD ST

HSM SECURIO
shredders

HSM Classic
shredders

HSM shredstar
shredders

HSM
High Security
shredders

HSM Powerline
shredders

HSM Shredder
baler combinations

HSM Warehouse
Management
Solutions

HSM Cutting
Machines

HSM Shred Bins
& Carts

HSM Accessories

DE - Made in Germany

CD - Continuous Duty Motor

QO - Quiet Operation

AJ - Anti-Jam Technology

LW - Lifetime Warranty on Solid Steel Cutting Rollers

EM - Energy Management Control System

ST - Quality Solid Steel Precision Cutting Heads

HS - High Security Solutions

TAA - TAA Compliant

CS - Comprehensive Safety System

When ordering please also consider the consumable materials for the HSM Shredder baler combinations document shredders on page 68.
All specifications are listed without guarantee. Technical and design modifications reserved.



HSM Warehouse Management Solutions - Turn your waste into valuable material!

At HSM, we offer a range of innovative and practical warehouse management solutions from cardboard converters to PET bottle & can crushers to vertical baling presses and hard drive shredders. All designed to reduce costs, be environmentally friendly and conserve precious warehouse space in the process.



Packaging can become a problem

Packaging is indispensable for transporting products safely. But it can quickly become a problem when it begins to pile up, block valuable space and incur expensive personnel costs.



Volume reduction for cardboard, foil, plastic, PET

Due to their size, cost efficiency and capacity, the vertical baling presses are incredibly well-suited for industry, manufacturers and retailers alike. With these compact baling presses, you can reduce the volume of your on-site packaging material by up to 95%.



Valuable Secondary Raw Material

Considered part of the recycling chain, used packaging becomes a valuable secondary raw material. HSM has solutions for handling and compacting this raw material using tried & true technology.



Pressing Power

Robust and reliable with a pressing power of 27.5 tons, our HSM FP 3000 is excellently suited for pressing light metal and rolled hoop barrels.



2 hp



120 V/20 amp
or 30 amp



HSM Hard Drive Shredder/Backup Destroyer 150

LIMITED AVAILABILITY

DE CD ST

The hard drive shredder HSM Powerline HDS 150 destroys digital media devices in a safe and economical way – and is data protection compliant as well.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Hard drive shredder with 230 V power supply in a compact and modern design
- Very suitable for the decentralized destruction of a smaller quantity of data media
- Powerful, energy-saving power unit enables long operation at a low noise level
- Low maintenance due to closed direct drive unit
- An automatic return eliminates material jams
- Data media can be processed at a convenient working height
- Different function modes for the various type of material and maximum throughput
- Removable waste container for effortless emptying
- Multifunction element for intuitive operation
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 66399	Cutting capabilities
HSM1772-1	1.5"	cross	500 hard drives	T-1 / E-2 / H-3	
HSM1772-2	1.5"	cross	700 hard drives	T-1 / E-2 / H-3	

Dimensions (HxWxD): 43.5 x 46.8 x 31.1 color: white



4 + 1.34 hp
4+4+1.34 hp



120V/20 amp
or 30 amp



HSM Hard Drive Shredder/Back Up Media Destroyer 230

DE CD ST

Secure, data policy compliant and economical. This hard drive shredder shreds digital data carriers into little particles and makes data re-creation virtually impossible. Also shreds poker chips, cell phones, PDA's and more!

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Optional discharge conveyor belt for transporting material into a separate container
- Powerful motor allows for continuous operation
- An automatic return eliminates material jams
- User safety through emergency off switch
- Multifunction element for intuitive operation
- Practical storage table for data carriers
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity	Security level DIN 32757-1	Cutting capabilities
HSM1778	.78" x 1.18" - 2"	single-stage	up to 2000 items/hr	O-1 / T-2 / E-2 / H-4	
HSM1777	.39" x 1" - 1.18"	dual-stage	up to 2500 items/hr	O-3 / T-3 / E-2 / H-5	
HSM1779	1.57"	single-stage	up to 2000 items/hr	O-1 / T-2 / E-2 / H-4	

Dimensions (HxWxD): 71" x 46" x 71" color: white

Optional Equipment	Part number	Available for
Exit Conveyor	1777200312	all versions
Catch Tray	1779090000	all versions

DE - Made in Germany

CD - Continuous Duty Motor

QO - Quiet Operation

AJ - Anti-Jam Technology

LW - Lifetime Warranty on Solid Steel Cutting Rollers

EM - Energy Management Control System

ST - Quality Solid Steel Precision Cutting Heads

HS - High Security Solutions

TAA - TAA Compliant

CS - Comprehensive Safety System

When ordering please also consider the consumable materials for the HSM Warehouse Management Solutions on page 68 & 69.
All specifications are listed without guarantee. Technical and design modifications reserved.

 2200 W
 16.7 in
 3 x 208 V/
 60 Hz



HSM ProfiPack 425 Cardboard perforator

DE **CD** **ST**

This powerful device perforates and bolsters up several layers of used cardboard into packaging material. The clever solution for all shipping and storage areas.

- Hardened cutting rollers for ripping through 2-3 layers of tough cardboard
- Specially shaped cutting rollers represent a long service life and guarantee that the material is evenly padded
- Continuous Duty Operation ensures continual shredding with no down time
- Sturdy sheet steel housing is ideal for use in dispatch and warehouse areas
- Thermal fuse to protect against overheating
- 3-phase power connection
- On/off and reverse rocker switch
- Dusts extraction system connectivity
- Complies with national and international safety regulations
- Made in Germany
- Mobile on castors

Part #	Infeed height	Cutting capacity	Cutting speed in fpm
HSM1531	.8"	2-3 layers	39'/min.

Dimensions (HxWxD): 38.2" x 27.5" x 19" x 14.5" **color:** light grey

Optional Equipment	Part number
Complete Dust Extraction Kit	3370000077

 1150 W
 16.3 in
 115 V/
 60Hz



HSM ProfiPack 400 Cardboard perforator

DE **CD** **ST**

With this cardboard perforator, you transform used cardboard into packaging material in one work step. Can be used as a mobile and flexible tabletop device.

- Hardened cutting rollers for ripping through 1 layer of tough cardboard while conveniently resting on your tabletop
- Specially shaped cutting rollers guarantee even, optimum padding of the material
- Continuous Duty Operation ensures continual shredding with no down time
- Sturdy sheet steel housing is ideal for use in dispatch and warehouse areas
- Thermal fuse to protect against overheating
- AC power connection
- On/off and reverse rocker switch
- Complies with national and international safety regulations
- Made in Germany

Part #	Infeed height	Cutting capacity	Cutting speed in fpm
HSM1528	.4"	1 layer	26'/min.

Dimensions (HxWxD): 14.2" x 23.22" x 14.5" **color:** light grey

DE - Made in Germany	CD - Continuous Duty Motor	QO - Quiet Operation	AJ - Anti-Jam Technology
LW - Lifetime Warranty on Solid Steel Cutting Rollers	EM - Energy Management Control System	ST - Quality Solid Steel Precision Cutting Heads	HS - High Security Solutions
TAA - TAA Compliant	CS - Comprehensive Safety System		

When ordering please also consider the consumable materials for the HSM Warehouse Management Solutions on page 68 & 69.
All specifications are listed without guarantee. Technical and design modifications reserved.

DE LW AJ CD ST

HSM Powerline 450.2 document shredder

This powerful large document shredder for three-phase power supply ensures data security in archives or as a central point for document shredding

- Optimized cutting device technology destroys 80-85 sheets of paper, creating 345 cross-cut / confetti-cut particles per page
- Obliterates large quantities such as archives and bulk storage
- Material feed via electronic conveyor belt
- Anti-Jam Technology prevents jams when machine is overloaded
- Continuous Duty Operation ensures continual shredding with no down time
- Lifetime warranty on cutting cylinder
- Made in Germany
- Baler with loading aperture/inspection flap for non-confidential documents or cardboard
- Modern SPS controller with multi-lingual display
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1503	1/8" x 2"	cross	80 - 85	3	P-4 / O-3 / T4 / E-3 / F-1	

Dimensions (HxWxD): 62.6" x 29.5" x 26.1" color: white

HSM Powerline FA 400.2 document shredder

Thanks to its large throughput, this sturdy and durable document shredder is ideal for use in archives or central stations for document shredding. Recommended for up to fifteen people.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via conveyor belt
- Powerful motor allows for continuous operation
- An automatic return eliminates paper jams
- Effortless emptying via a removable trolley with a reusable collecting bag
- User safety through emergency off switch
- Functional operator control panel with LED indicator
- Extension of the loading table by 600 mm; used for material storage (left or right)
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1513	1/4"	strip	130	2	P-2 / O-2 / T2 / E-2	
HSM1514	1/4" X 2"	cross	120	3	P-3 / O-2 / T3 / E-2	

Dimensions (HxWxD): 65" x 45.5" x 61.7" color: white

HSM Powerline FA 500.3 document shredder

The top model of the large document shredder series HSM Powerline. This powerhouse is ideal for the shredding of large quantities in archives or central document shredding stations.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via conveyor belt
- Powerful motor allows for continuous operation
- An automatic return eliminates paper jams
- User safety through emergency off rail
- Automatic oiler provides for consistently high cutting capacity
- Multifunction element for intuitive operation
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM1991	9/32" X 1 1/2" - 3 5/32"	cross	500 - 550	2	P-3 / O-2 / T2 / E-2	
HSM1990*	1/4" X 1 9/16" - 2 1/16"	cross	400 - 450	3	P-3 / O-2 / T3 / E-2	
HSM1993	1/16" X 9/16"	cross	120 - 130	4	P-5 / O-4 / T5 / 5-4 / F2	

Dimensions (HxWxD): 71" x 46" x 71" color: white

Optional Equipment

Part number

Extension Table	1990990010	all versions
Extends loading table by 600 mm, on the left or right, as required		
Discharge conveyor belt	1990990025	all versions
1450 mm discharge height		
Cart Tipper	CT100	all versions
Additional shredder-material collecting trolley for FA 500.3		
*Special Order		

 4000 W
 17 in
 208 V/
60Hz

HSM SP 4040 V Shredder baler combination

DE LW CD ST

This compact combination of the large document shredder FA 400.2 and a vertical baling press is ideal for professional document shredding in large quantities, which are then compressed into bales of up to 77 lbs.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via non-slip conveyor belt
- Continuous operation is possible thanks to the powerful motor with a chain drive
- Automatic return eliminates paper jams
- Light barrier for automatic start of the compression process
- Shredder material is compressed into compact bales and can optionally be cleanly disposed of in a box or waste bag
- Practical removal trolley for the easy removal of bales
- Manual oiler for consistently high cutting capacity
- User safety through emergency off switch
- Functional operator control panel with LED indicator
- Mobile on castors



Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM3513	1/4"	strip	130	2	P-2 / O-2 / T-2 / E-2	
HSM3514	1/4" x 2"	cross	120	3	P-3 / O-2 / T-3 / E-2	

Dimensions (HxWxD): 77.5" x 42.9" x 79.9", **color:** white

Max Bale Size (HxWxD): 23.6" x 19.6" x 15.7" (box size), pressing power: 4 tons

 9200 W
 20 in
 208 V/
60Hz



HSM SP 5088 Shredder baler combination

DE LW CD ST

With this waste disposal station, HSM combines the large document shredder FA 500.3 with a channel baling press. It is therefore particularly ideal for use in archives or central stations for document shredding, even in large quantities, which are then compressed into bales of up to 200 lbs. as needed.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via non-slip conveyor belt
- Continuous operation is possible thanks to the powerful motor with a chain drive
- Automatic return eliminates paper jams
- Simple commissioning of the combination using Plug-and-Play
- Light barrier for automatic start of the compression process
- Shredder material is compressed into compact bales, manually strapped three-fold and can also be disposed of cleanly in a waste bag
- The bale weight is variable depending on the requirement
- Automatic oiler provides for consistently high cutting capacity
- User safety through emergency off rail
- Multifunction element for intuitive operation
- Mobile on castors

#	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM365511	9/32" X 1 1/2" - 3 5/32"	cross	500 - 550	2	P-3 / O-2 / T-3 / E-2	

Dimensions (HxWxD): 55.5" x 45.6" x 135" **color:** white

Max Bale Size (HxWxD): 19.68" x 19.68" x 37.4" (box size), pressing power: 8.5 tons

 9200 W
 20 in
 208 V/
60Hz



HSM SP 5080 Shredder baler combination

DE LW CD ST

This powerful combination of the large document shredder FA 500.3 and a counterplate baling press provides for data security in archives and compresses the shredded material into bales between 80 and 175 lbs.

- High quality materials and "Made in Germany" quality for safety and durability
- Cutting rollers made of hardened solid steel
- Convenient material feeding via non-slip conveyor belt
- Continuous operation is possible thanks to the powerful motor with a chain drive
- Automatic return eliminates paper jams
- Simple commissioning of the combination using Plug-and-Play
- Light barrier for automatic start of the compression process
- Shredder material is compressed into compact bales and can optionally be cleanly disposed of in a box or waste bag
- The bale weight is variable depending on the requirement
- Automatic oiler provides for consistently high cutting capacity
- User safety through emergency off rail
- Multifunction element for intuitive operation
- Mobile on castors

Part #	Cutting Size	Cutting Type	Cutting Capacity in Sheets	Security level DIN 32757-1	Security Level DIN 66399	Cutting capabilities
HSM365520	9/32" x 1 1/2" - 3 5/32"	cross	500 - 550	2	P-3 / O-2 / T-3 / E-2	

Dimensions (HxWxD): 55.5" x 45.5" x 92.5" **color:** white

Max Bale Size (HxWxD): 22.24" x 19.29" x 31.49" (box size), pressing power: 8 tons



29.1 x 25 in



HSM V-Press 60

V-Press 60 shrinks the amount of waste for disposal. Compresses plastic foils, paper bags, lightweight boxes and packing paper. Castors allow for mobility.

- Compresses plastic film and lightweight packaging material
- Used packing material is fed into baling press immediately after unpacking; does not need to be transported into interim storage
- Baled produced can be re-pressed in hydraulic HSM baling presses (i.e. compressed into denser and larger bales)
- Does not use any electricity, or need servicing or maintenance
- Effortless to operate with a minimum amount of strength
- Simple and easy bale extraction; can be comfortable transported on a pallet
- Made in Germany

Part #	Loading aperture (WxD) in inches	Bale size (H x W x L) in inches
HSM6201	29" x 25"	max. 31.6" x 23.6" x 31.5"

Dimensions (HxWxD): 50.4" x 31.9" x 28.9" **color:** light grey

DE

HSM SECURIO
shredders



1100 W



27.5 x 18.5 in

120 V/
60Hz

HSM V-Press 504

The entry-level model HSM V-Press 504 allows for the economical disposal of your packaging waste. Compact and sturdy design – this vertical press requires a small footprint saving precious warehouse space.

- Compresses plastic foil and cardboard
- Comfortable, easy-to-use membrane keypad with text display that shows the current status of the machine
- Selectable programs for pressing cardboard or plastic foil
- THE HSM TCS (Torsion Control System) prevents one-sided overcharge, optimized the pressing procedure and assures longer service life
- Automatic return stroke
- Bale removal & transport with discharge trolley
- Compact and sturdy design

Part #	Loading aperture (WxD) in inches	Bale size (H x W x L) in inches
HSM6151	27.5" x 18.5"	max. 23.6" x 19.6" x 275"

Dimensions (HxWxD): 75.6" x 19.6 x 27.5" **color:** light grey

DE

HSM shredstar
shredders

HSM
High Security
shredders

HSM Powerline
shredders

HSM Shredder
baler combinations

HSM Warehouse
Management
Solutions



3000 W



31.5 x 19.5 in

3x220V/
60Hz

HSM V-Press 610

Reduces the volume of cardboard or foils in an economical way.

- Compresses plastic foil and cardboard
- Special retaining claws optimize the compression of the pressing material, increasing both the loading volume and the bale output
- Low installation height and surface
- Mechanical bale ejector
- Double door with hand wheel door lock
- Versatile and compact

Part #	Loading aperture (WxD) in inches	Bale size (H x W x L) in inches
HSM6110	31.5" x 19.5"	max. 23.6" x 23.6" x 31.5"

Dimensions (HxWxD): 77.95" x 46.8" x 32" **color:** light grey

DE



47 x 22 in

3x220V/
60Hz

HSM V-Press 820

All the advantages of a baling press into one strong disposal station

- Compresses plastic foil and cardboard
- Special retaining claws optimize the compression of the pressing material, increasing both the loading volume and the bale output
- Low installation height and surface
- Mechanical bale ejector
- Double door with hand wheel door lock
- Versatile and compact

Part #	Loading aperture (WxD) in inches	Bale size (H x W x L) in inches
HSM6143	47" x 22"	max. 39.37" x 30.7" x 47.2"


Dimensions (HxWxD): 97.2" x 66.92 x 42.3" **color:** light grey

DE

HSM Cutting
Machines

HSM Shred Bins
& Carts

HSM Accessories



HSM PET Crusher 1049 SA Bottle and Can Crusher

DE

Puts a cap on your crowded workspace by disposing of plastic bottles and aluminum cans.

- Use for disposing & crushing up to 2,400 plastic bottles/aluminum cans
 - Effortlessly perforates and crushes in one working cycle
 - Crushes small quantities of aluminum beverage cans
 - 2,000 bottle capacity (1 liter bottles)
 - 76.6 gallon material collection trolley
 - Made in Germany



Part #	Loading aperture (WxD) in inches	Bottle Diameter
HSM1692	2,000 (1 liter bottles)	2" - 4.7"

Dimensions (HxWxD): 35.4" x 31.18" x 62.4" **color:** light grey

Dimensions (HxWxD): 35.4" x 31.18" x 62.4" **color:** light grey



HSM PET Crusher 1049 SA 120 V Bottle and Can Crusher

DE


Puts a cap on your crowded workspace by disposing of plastic bottles and aluminum cans.

- Use for disposing & crushing up to 2,400 plastic bottles/aluminum cans
 - Effortlessly perforates and crushes in one working cycle
 - Crushes small quantities of aluminum beverage cans
 - 2,000 bottle capacity (1 liter bottles)
 - 76.6 gallon material collection trolley
 - 1 Phase Power 120V
 - Made in Germany



Part #	Loading aperture (WxD) in inches	Bottle Diameter
HSM1697	2,000 (1 liter bottles)	2" - 4.7"
Dimensions (HxWxD): 35.4" x 31.18" x 62.4" color: light grey		

Dimensions (HxWxD): 35.4" x 31.18" x 62.4" **color:** light grey



HSM PET Crusher CP4988 Bottle and Can Crusher

DE


The PET Crusher CP4988 perforates and crushes plastic bottles in one working cycle with ease.

- Powerful compression reduces polyethylene terephthalate (commonly used beverage, food and other liquid containers) and cans down to 1/3 or 1/4 of the original
 - Crusher rollers made of specially hardened and ground steel, completely resistant to wear and very strong, for a long service life
 - Scraper system removes the compressed plastic bottles and cans from the crusher rollers to prevent blockages and downtime while clearing
 - Dosing shaft with integrated blades ensures that the plastic bottles and cans are fed reliably
 - Manual control of the machine via easy-to-use keypad with forward, reverse, and stop functions
 - LED display provides information on the current status of the machine (ready, overload, door open, container full)
 - Automatic switch off after two minutes to save energy
 - Cutting head can also be used in combination with a deposit return machine (further information on request)
 - Manual, three-fold strapping with continuous polyester strap



Part #	Loading aperture (WxD) in inches	Bottle Diameter
HSM6577	4,000 (1 liter bottles)	2" - 4.7"
Dimensions (HxWxD): 70.87" x 374" x 145.3" color: light grey		

Dimensions (HxWxD): 70.87" x 37.4" x 145.3" **color:** light grey

3x220V/
60Hz

HSM FP 3000 Barrel Press

Excellently suited for pressing light metal and rolled hoop barrels.

- Pressing power: 27.5 tons
- Press ram with spikes for opening the barrels and collector tray for residual liquid
- Enclosed on all sides with inspection window for safety and dust reduction
- Comfortable, easy-to-use membrane keypad with text display that shows the current status of the machine
- Automatic return stroke saves time, overheads and personnel costs
- Low maintenance and sturdy hydraulics

Part #	Barrel type/barrel size up to 52 gallons (In)	Output/hr.
HSM6820	light metal & rolled hoops / 24.3" x 42.9"	50 barrels

Dimensions (HxWxD): 113.85" x 45.98" x 37.79" **color:** light grey

DE

HSM SECURIO
shreddersHSM Classic
shreddersHSM shredder
shreddersHSM
High Security
shreddersHSM Powerline
shreddersHSM Shredder
baler combinationsHSM Warehouse
Management
SolutionsHSM Cutting
MachinesHSM Shred Bins
& Carts

HSM Accessories

White Glove Delivery



White Glove (WG) is inside delivery service of the shredders and other industrial machines to the location of the customer's choice and the debris is removed. Guaranteed to the ground level if an elevator is not accessible. Only applies within the continental United States.

A bundle unit consists of the shredder and an installed automatic oiler.

Bundle & white glove delivery combination are available for select models.

For more information on Bundles and White Glove Delivery, contact your HSM dealer or Customer Service at 800.613.2110 for more information.

We are your partner – for products and project planning!

HSM does not just offer hardware alone, but provides individual system solutions as well. When it comes to demanding systems, you can benefit from our extensive know-how and broad experience. Experienced HSM specialists assist you right from the start on site and provide ongoing support and service.

With the wide range of options and accessories, our disposal solution can be fully integrated into your existing operation and processes. The individualised design makes the entire system efficient. Get in touch with us and HSM will find the right solution for your individual requirements.



Examples for compressable materials



Foils



Cardboard



Paper



PET bottles / UBC



Plastics



Plastics



Plastics



Plastics




HSM Cutting Machines

The HSM cutting machine range has the product that fits your requirements perfectly. The product range offers machines for the home office and also includes professional machines for batch processing and DIN formats. High level of user safety due to patented designs and precise cutting are impressive benefits of proven HSM quality.

HSM Cutline G & T series Cutline machines

Cutting-edge precision quality



Fold-down protective guard

The fold-down protective guard ensures safe operation while also saving space when stored away.



Hardened, ground cutting blade with counter blade (G3225, G4620, G4640)

The hardened, ground cutting blade with counter blade ensures you achieve a precise cut.



Automatic contact pressure

The automatic contact pressure ensures that the paper does not move during cutting.



Ergonomically shaped handle

The ergonomically shaped handle lies comfortably in your hand and ensures an optimal cutting effect.



Rear limit stop

The lockable rear limit stop allows for the precise positioning of the cutting material to ensure you get perfect cutting results.



Recessed handle for easy lifting

The cutting machine can be easily lifted and moved by using the recessed handles on the sides.



Collection tray for paper remains

Paper remains fall into the practical collection tray and can be removed easily.



Metal base plate with dimensioning

The cutting machine has a sturdy metal base plate with sizing in cm and inches as well as angle and special format scaling.



Ergonomic cutting head

The ergonomically shaped and smoothly running cutting head ensures optimal handling and ease of use.



Device for practical wall mounting

The rotary trimmer can be conveniently mounted on a wall.



Rotary trimmer - HSM Cutline T3310

Compact and handy roll cutting machine for formats up to DIN A3 landscape. Cuts up to 10 sheets of paper at once.

- Automatic contact pressure of the shredder material when cutting
- Optimal handling through smooth-running, ergonomically shaped cutting head
- Self-sharpening round blade for permanently precise results
- Practical collection tray for paper remains
- Enclosed side stop allows for precise positioning of the cutting material
- Recessed handle for easy lifting of the cutting machine
- Sturdy metal base plate with cm/inch as well as angle and special format scaling
- Device for practical wall mounting
- Spare cutting head available
- Non-slip stand of the cutting machine

Part #	Max. paper format	Cutting length in inches	Cutting capacity in sheets	Clamping method
HSM1000901	DIN A4 landscape	13"	10	automatic

Dimensions (HxWxD): 3.47" x 20.9" x 9.17 **color:** white / red / grey

Rotary trimmer - HSM Cutline T4610

Sturdy and handy roll cutting machine for formats up to DIN A2 landscape. Cuts up to 10 sheets of paper at once.

- Automatic contact pressure of the shredder material when cutting
- Optimal handling through smooth-running, ergonomically shaped cutting head
- Self-sharpening round blade for permanently precise results
- Practical collection tray for paper remains
- Enclosed side stop allows for precise positioning of the cutting material
- Recessed handle for easy lifting of the cutting machine
- Sturdy metal base plate with cm/inch as well as angle and special format scaling
- Device for practical wall mounting
- Spare cutting head available
- Non-slip stand of the cutting machine

Part #	Max. paper format	Cutting length in inches	Cutting capacity in sheets	Clamping method
HSM1000902	A4	18"	10	automatic

Dimensions (HxWxD): 3.8" x 26.1" x 9.45" **color:** white / red / grey



Stack Cutter HSM R 48000

Compact and easy to use lever cutting machine. Cuts paper up to the format DIN A3 landscape and is ideal for the private sector.

- High-quality ground cutting blades of hardened steel
- Manual paper clamping and safety lock
- Protected by plexiglass cover
- Spindle-guided rear limit stop
- Stacking bracket for exact placement of the paper included in the scope of delivery
- With cm and inch scale

Part #	Max. paper format	Cutting length in inches	Cutting capacity in sheets	Clamping method
HSM1000740	DIN A2 landscape	18 7/8"	600	manual

Dimensions (HxWxD): 28 3/8" x 29 15/16" x 18 1/8" **color:** white / red / grey



Guillotine - HSM Cutline G3210

Compact and easy to use lever cutting machine. Cuts paper up to the format DIN A3 landscape and is ideal for the private sector.

- The fold-down protective guard provides for safe operation and space-saving storage
- High quality cutting blade with counter blade – for a precise cut and cutting capacity
- Manual contact pressure of the shredder material when cutting
- Ergonomically shaped handle for optimal handling
- Practical collection tray for paper remains
- Enclosed side stop allows for precise positioning of the cutting material
- Recessed handle for easy lifting of the cutting machine
- Sturdy metal base plate with cm/inch as well as angle and special format scaling
- Non-slip stand of the cutting machine

Part #	Max. paper format	Cutting length in inches	Cutting capacity in sheets	Clamping method
HSM1000911	A4	12.8" x 6.1"	10	manual

Dimensions (HxWxD): 2.95" x 23.8" x 11" **color:** white / red / grey





Guillotine - HSM Cutline G3225

Compact, versatile and easy to use lever cutting machine. Cuts paper and thin cardboard up to the format DIN A3 landscape.

- The fold-down protective guard provides for safe operation and space-saving storage
- Hardened, ground cutting blade with counter blade – for a precise cut and cutting capacity
- Automatic contact pressure of the shredder material when cutting
- Ergonomically shaped handle for optimal handling
- Practical collection tray for paper remains
- Enclosed side stop & lockable rear limit stop allows for precise positioning of the cutting material
- Recessed handle for easy lifting of the cutting machine
- Sturdy metal base plate with cm/inch as well as angle and special format scaling
- Non-slip stand of the cutting machine

Part #	Max. paper format	Cutting length in inches	Cutting capacity in sheets	Clamping method
HSM1000913	A4	12.8" x 9"	25	automatic

Dimensions (HxWxD): 4.8" x 23.9" x 12.13" **color:** white / red / grey



Guillotine - HSM Cutline G4620

Sturdy, versatile and easy to use lever cutting machine. It cuts paper and cardboard up to the format DIN A2 landscape and facilitates work for private and professional users.

- The fold-down protective guard provides for safe operation and space-saving storage
- Hardened, ground cutting blade with counter blade – for a precise cut and cutting capacity
- Automatic contact pressure of the shredder material when cutting
- Ergonomically shaped handle for optimal handling
- Practical collection tray for paper remains
- Enclosed side stop & lockable rear limit stop allows for precise positioning of the cutting material
- Recessed handle for easy lifting of the cutting machine
- Sturdy metal base plate with cm/inch as well as angle and special format scaling
- Non-slip stand of the cutting machine

Part #	Max. paper format	Cutting length in inches	Cutting capacity in sheets	Clamping method
HSM1000912	A3	18.11" x 9"	20	automatic

Dimensions (HxWxD): 4.8" x 29" x 14.2" **color:** white / red / grey




Guillotine - HSM Cutline G4640

Sturdy, versatile and easy to use lever cutting machine. It cuts paper and thin cardboard up to the format DIN A2 landscape and is therefore ideal for private and professional users.

- The fold-down protective guard provides for safe operation and space-saving storage
- Hardened, ground cutting blade with counter blade – for a precise cut and cutting capacity
- Automatic contact pressure of the shredder material when cutting
- Ergonomically shaped handle for optimal handling
- Practical collection tray for paper remains
- Enclosed side stop & lockable rear limit stop allows for precise positioning of the cutting material
- Recessed handle for easy lifting of the cutting machine
- Sturdy metal base plate with cm/inch as well as angle and special format scaling
- Non-slip stand of the cutting machine

Part #	Max. paper format	Cutting length in inches	Cutting capacity in sheets	Clamping method
HSM1000914	A3	18.11" x 12.6"	40	automatic

Dimensions (HxWxD): 5.24" x 29.5" x 15.98" **color:** white / red / grey



HSM Shred Bins and Carts

Shred bins & carts for storage of soon-to-be-shred documents. Keeps sensitive and confidential documents safe until it is time to shred. Perfect for copy rooms or offices that have centralized shredding.



DuraFlex Shred Console

No more bending over, ergonomic insert can be pulled straight out of console without the need to squat.

- No bending required
- Insert can be pulled straight out of console
- Even balanced grip for better handling
- Lip rests on cart when emptying
- Multi-directional - insert can not be put in backwards
- Self closing lock - no key is needed to shut door

Part Number	Dimensions	Bin Capacity
36"- DF-44-720D	36" H x 21.5" W x 16" D	70-80 gallons



Ergonomic DuraFlex Shred Console Insert

No more bending over, ergonomic insert can be pulled straight out of console without the need to squat.

- No bending required
- Insert can be pulled straight out of console
- Even balanced grip for better handling
- Lip rests on cart when emptying
- Paper distributes evenly for easier removal
- Easy stacking for transporting and storage
- Multi-directional - insert can not be put in backwards

Part Number	Dimensions	Bin Capacity	Weight (empty)
36 - DF - 23 - Insert	30" H x 18.5" W x 13.25"D	17.1 gallons	6 lbs



Shredinator shred bins

Designed to fit in tight spaces i.e. under a counter or beside a desk. Available in 24, 27 and 30 inch high units.

- Tamper proof lid for confidential disposal
- Lockable container
- Lightweight
- Grips on both ends allow for easy emptying
- Removable lid
- Optional nylon bag fits snugly inside container

Part #	Dimensions	Bin Capacity	Weight (empty)
24shredll-44-720D	24" H x 11" W x 20" D	16 gallons	5 lbs
27shredll-44-720D	27" H x 11" W x 20" D	20 gallons	6 lbs
30shredll-44-720D	30" H x 11" W x 20" D	23 gallons	7 lbs

Ergo DuraFlex Signature Series Secure Collection Consoles

No more bending over, ergonomic insert can be pulled straight out of console without the need to squat. Available in Espresso, Cherry or Maple finish.

- No bending required
- Insert can be pulled straight out of console
- Self-closing tamper proof lock - provides additional security
- Even balanced grip for better handling
- Lip rests on cart when emptying
- Paper distributes evenly for easier removal
- Easy stacking for transporting and storage
- Multi-directional - insert can not be put in backwards

Part #	Dimensions	Bin Capacity	Weight (empty)
36 - DF - ES - 23 (Espresso)	36"H x 21.5"W x 16"D	17.1 Gallons	48 lbs
36 - DF - CH - 23 (Cherry)	36"H x 21.5"W x 16"D	17.1 Gallons	48 lbs
36 - DF - MA - 23 (Maple)	36"H x 21.5"W x 16"D	17.1 Gallons	48 lbs



32 gallon shred cart

Secure collections carts offer office friendly design for secure document collection.

- Provides secure collection of documents in office settings
- Portable carts with 8" rubber wheels adding strength and ease
- Handles allow full control when moving cart
- Lid has molded paper slot for added strength and security
- Internal locking system
- The device automatically switches off if pressure is applied to the safety element

Part #	Dimensions	Bin Capacity	Weight (empty)
32G - I120L - 64 - LS - 720D	19.5" x 21.5" x 38"	up to 125 lbs	21 lbs



64 gallon shred cart

Secure collections carts offer office friendly design for secure document collection.

- Provides secure collection of documents in office settings
- Portable carts with 8" rubber wheels adding strength and ease
- Handles allow full control when moving cart
- Lid has molded paper slot for added strength and security
- Internal locking system
- The device automatically switches off if pressure is applied to the safety element

Part #	Dimensions	Bin Capacity	Weight (empty)
64G - I240L - 64 - LS - 720D	23" x 29" x 42"	up to 250 lbs.	35 lbs



95 gallon shred cart

Secure collections carts offer office friendly design for secure document collection.

- Provides secure collection of documents in office settings
- Portable carts with 8" rubber wheels adding strength and ease
- Handles allow full control when moving cart
- Lid has molded paper slot for added strength and security
- Internal locking system
- The device automatically switches off if pressure is applied to the safety element

Part #	Dimensions	Bin Capacity	Weight (empty)
95G-I360L-64-LS-720D	24.5" x 34" x 46"	up to 350 lbs.	44 lbs

HSM Accessories

On this page you can find everything you need for the continuous operation of HSM document shredders.

- **Reusable plastic bags for document shredders and shredder baler combinations**
- **Special oil for cutting heads**
- **Polyester tape for shredder baler combinations**
- **Cardboard box for document shredders and shredder baler combinations**



HSM Office Technology Accessories

Plastic bags and box inserts

Part Number	For Model	Description
HSM1310	104.3, 105.3, B22, *all other small machines	Roll / 100 count - 13" x 10" x 24" - 11 Gallons
HSM1408	108.2, B24, AF150, AF300	Roll / 100 count - 14" x 8" x 32" - 13 Gallons
HSM1815	125.2, B26, B32, B34, , AF500	Roll / 100 count - 18" x 15" x 34" - 34 Gallons
HSM2117	225.2, 386.2, 390.3, 412.2, B35, P36, P40	Roll / 100 count - 21" x 17" x 44" - 58 Gallons
HSM2523	450.2, 1049S, P44, Crusher	Roll / 50 count - 25" x 23" x 45" - 96 Gallons
HSM3630	FA 400.2 (single bin setup)	Roll / 50 count - 36" x 30" x 53" - 212 Gallons
HSM2318	FA 400.2 (double bin setup)	Roll / 50 count - 23" x 18" x 60" - 92 Gallons
HSM270BOX	125.2	Box insert - 20 Gallons
HSM1340BOX	225.2	Box insert - 28 Gallons
HSM1365BOX	390.3	Box insert - 39 Gallons
HSM1565BOX	411.2	Box insert - 38.5 Gallons
HSM1820BOX	B32	Box insert - 21.7 Gallons
HSM1840BOX	B34	Box insert - 26.4 Gallons
HSM1850BOX	P36/P40	Box insert - 38.3 Gallons
HSM2315BOX	Corrugate Box Insert Baler	(20/bundle) - 23.75" x 15.75" x 19.35"
HSM2728	FA500.3, KP100, 1049SA	Roll/50 count - 27" x 28" x 60"

*More sizes available, contact HSM Customer Service at 1-800-613-2110 for more information

Reusable bags

Part Number	For Model	Description
HSMNB210R02830	108,125.2, B26	Reusable shred bag
HSMNB210R03330	225.2,B32,B34	Reusable shred bag
HSMNB210NA3930	B35, P36, 386.2, 390.3, 411.2	Reusable shred bag



Shredder Oil

Part Number	For Model	Description
HSM316P	12 oz. bottle	6 / case
HSM314P	16 oz. bottle	12 / case
HSM315P	Gallon bottles	4 / case (includes funnel)
HSM33836159	Auto oiler (HSM factory installed)	L3, L4 & L5 shredders
HSM3123500	Shredder Care Kit	(40) Multi-Surface Wipes; 12 oz. of lubricant; 10 oz. of compressed air



Oilers

Part Number	For Model	Description
HSM1562200030	All cross & micro-cut versions	Automatic Oiler 300 mL
HSM3380000010	Industrials	Auto Oiler Reservoir
HSM15624200020G	All cross & micro-cut versions	adapter kit for auto oiler with gallon of oil
HSM1562420020	All cross & micro-cut versions	Auto Oiler





HSM Warehouse Management Solutions Accessories

Strapping Twine

Part Number	For Model	Description
HSM 6201 993 000	V Press 60	1 Roll - Strapping Twine- 656'



Strapping Tape

Part Number	For Model	Description
HSM 6205 993 010	V- Press 504 / KP80 / KP88	1 Roll - WG 30 - 1640'
HSM 6212 993 010	V- Press 610 / CP4988 / V-Press 80	1 Roll -WG 40 - 1640'



Miscellaneous

Part Number	For Model	Description
HSM 6127 990 101	Tape clamps	1 Box (1000 Pcs)
HSM 615 199 0010	V Press 504	Bale Removal Trolley for V Press 504



Plastic Bags / Boxes

Part Number	For Model	Description
HSM2728	FA 500.3, PET Crusher 1049 SA	Roll / 50 count
HSM4256	KP 80, KP 88	Roll / 50 count - 42" x 56"
HSM2416	40 VL	Roll / 50 count - 24" x 16" x 40"
HSM6201 995 001	V Press 60	Box of 25 - Plastic Bag - 27.6" x 25.6" x 86.6"
HSM4256	KP80 & KP88 Baler	Flat Carton of 50 - 42" x 56"
HSM2416	40VL Baler	Roll Carton of 50 - 24" x 16" x 40"
HSM2315BOX	40VL Baler	Corrugate Box Bundle of 20 - 23.75" x 15.75" x 19.35"

Shredder Oil

Part Number	For Model	Description
HSM315	FA400.2c / FA500.3c / HDS-230	Gallon bottle of Shredder Oil
HSM315P	FA400.2c / FA500.3c / HDS-230	4 / case (includes funnel)



Shred Bin Accessories

Part Number	For Model	Description
HSMShred-II BH	Stand Alone	Nylon Bag with 4 hooks (fits all Shredinators)
	Stand Alone	ID Badge Plate (one time expense to create ID badges for Shred Console)
	Stand Alone	Customized ID badges for all shred containers
HSMSB36bag1	Duraflex locking shred console	Replacement bag

www.hsmofamerica.com – a website with so many interesting options for you.

Visit the HSM Internet portal for information on the company and the products. HSM offers you even more through the partner login: interactive tools for creating your own data sheets, a media database for obtaining images, the eXtraWeb to retrieve

any information you choose and an innovative, user-friendly product finder. Just register at www.hsmofamerica.com and you will be amazed at the tools that are available and how easy they are to use.



The online tools in detail

Web2Print Wizard:

Here you can find ready-made brochures for the HSM SECURIO, HSM Classic, HSM shredstar and cardboard perforators. With a few clicks of the mouse, you combine all the products you want to promote and add the price and your logo. In just a few minutes your promotional brochure is ready to print.

Product finder:

Choose a site or security level, material to be shredded, the number of sheets or the price – and the right choice of document shredder will appear for you.

Data sheet generator:

On each product page, you can compile a comprehensive data sheet for the device you select.

Media database:

By accessing eXtraWeb, you can also access the HSM picture archive with current images and product videos in any size and in any standard file format. (Available to dealers only)

Notes on the technical details

Document shredders and cutting machines:

Cutting type:	The material is shredded into either strips or particles.
Cutting size:	Dimension of the strips or particles of the shredded material (depending on the paper quality).
Cutting capacity:	The maximum number of sheets (DIN A4, 70 g/m ² or 80 g/m ²), fed lengthways, which can be cut in one cycle.
	The performance data is determined when the motor is cold and the cutting device is freshly oiled. A weaker mains voltage or a different mains frequency to the one specified could result in less sheet capacity and increased noise during operation. The sheet capacity can vary depending on the structure and properties of the paper and on the way it enters. The performance data is calculated in 70 g/m ² .
Security levels 32757-1:	According to DIN 32757-1, with the exception of HS Level 6 and Highest Security (developed by HSM).
Security levels 66399:	According to DIN 66399.
OMDD:	The OMDD (Optical Media Destruction Device) cutting unit shreds CDs and DVDs and is recommended for shredding confidential information by the Federal Office for Information Security.
Intake/working width:	Maximum effective width of the feed opening.
Motor:	Power consumption of the document shredder motor at maximum cutting capacity (see above)/ Rated power of document shredder drive motor.
Voltage/frequency:	AC mains supply.
Dimensions:	External dimensions of the machine when set up for operation.
Weight:	Net weight of the machine without packaging.
Container/collection volume:	Volume of waste container or collection capacity for cut material before the machine switches off.
Table size:	External dimensions of the cutting table for cutting machines

Shredder baler combinations:

Pressing power:	Piston cylinder surface multiplied by the maximum hydraulic pressure (theoretical value).
Motor:	Rated power of document shredder and baling press drive motors.
Max. bale size:	The length of the bales varies depending on the expansion force of the compressed material.
Dimensions:	External dimensions of the machine when set up for operation.
Weight:	Net weight without packaging, loaded material, feeding system or options.

Cardboard perforators:

Effective width:	The maximum effective width of the feed opening.
Infeed height:	Height of the intake opening.
Cutting capacity:	The number of layers of cardboard which can be cut in one cycle.
Cutting speed:	This is calculated on the basis of the external diameter and speed of the cutting rollers in idle operation.
Motor:	Power consumption of the motor at maximum cutting performance / rated power of the cardboard perforator drive motor.
Voltage/frequency:	Three-phase/alternating current power supply.
Dimensions:	External dimensions of the machine when set up for operation.
Weight:	Net weight of the machine without packaging and options.

Hard drive shredder HDS:

Cutting capacity:	The number of hard drives that can be shredded in one hour.
Cutting size:	The dimensions of the particles that resulted from shredding the material.
Motor:	Rated power of hard drive shredder drive motor.
Voltage/frequency:	Three-phase/alternating current power supply.
Size:	The external dimensions of the machine when set up for operation.
Weight:	The net weight of the machine, without packaging and options.

Terms and Conditions: The general terms and conditions of HSM are the basis of each business transaction with the exception of individual contractual agreements. Our general terms and conditions can be found on our website at <http://www.hsmofamerica.com>. If access to our website is not possible, you can obtain our terms and conditions by phone at 800-613-2110.

Compact Shredders & shreddstar Models: Failure caused by defect is limited to two (2) years from date of invoice. A Maximum of one replacement unit is authorized during the warranty period. Strip and Cross Cut Cutting Rollers are warranted to be free of manufacturer defects for the life of the shredder from date of invoice.

Office Shredders: Parts and labor to repair any failure caused by defect is limited to three (3) years from date of invoice. Strip and Cross Cut Cutting Rollers are warranted to be free of manufacturer defects for the life of the shredder from the date of invoice.

Professional Shredders: Parts and labor to repair any failure caused by defect is limited to three (3) years from date of invoice. Strip and Cross Cut Cutting Rollers are warranted to be free of manufacturer defects for the life of the shredder from the date of invoice.

Level 5 Shredders: Parts & labor to repair any failure caused by defect is limited to three (3) years from date of invoice. Cutting Rollers on all (Level 5) units that have an oiler installed are warranted to be free of manufacturer defects for five (5) years from date of invoice. Failure to lubricate these machines properly will void the warranty. Cutting Rollers on High Security (Level 5) Shredders purchased without an oiler are warranted for one (1) year.

High Security (Level 6) Shredders: Parts & labor to repair any failure caused by defect is limited to three (3) years from date of invoice. Cutting Rollers on all (Level 6) units that have an oiler installed are warranted to be free of manufacturer defects for five (5) years from date of invoice. Failure to lubricate these machines properly will void the warranty. Cutting Rollers on High Security (Level 6) Shredders purchased without an oiler are warranted for one (1) year. In all cases, the final authority in determining cutting system defects lies with the manufacturer. All cutting systems must be returned to the manufacturer.

Premium Shredding Systems: Parts and labor to repair any failure caused by defect is limited to one (1) year from date of invoice. Limited lifetime Cutting Roller warranty on all industrial models.

ProfiPacks: Parts and labor to repair any failure caused by defect is limited to one (1) year from date of invoice. Cutting Rollers are warranted to be free of manufacturer defects for ten (10) years from date of invoice.

Cutters and Trimmers: Cutters and trimmers are warranted to be free from failure caused by defect, limited to two (2) years from date of invoice, excluding "consumable" parts. A maximum of one replacement unit is authorized during the warranty period, excluding the stack cutter.

Hard Drive Shredders: Parts to repair any failure caused by defect are limited to two (2) years from date of invoice. Labor to repair any failure caused by defect is limited to 90 days from date of invoice.

Balers: Parts and labor to repair any failure caused by defect is limited to one (1) year from date of invoice. Warranty Service Phone number: 1-800-613-2110.

Pricing: Prices are valid from January 1, 2016 until further notice to not later than December 31, 2016. All previous price lists are now deemed invalid.

NOTES:

- Freight or transportation damage is not classified as a warranty repair in any case.
- Proof of purchase may be required from the end-user for warranty validation.
- This warranty policy is effective 1/1/16.
- Refurbished products go through an extensive restoration process. The operation and functionality of the product is like new with some possible minor cosmetic imperfections. All REFURBISHED products are reinstated with the standard new warranty equal to the original warranty of that unit.
- Parts Warranty: If a part fails within the original warranty period and is deemed as a warrantable part: The warranty of the part is equal to the original warranty period of the machine. All other Parts sold outside of the warranty period of the original unit are warranted for a period of one (1) year.
- Accessories Warranty: Accessories including bags, oil, box inserts, and shred carts are warranted for a period of 90 days.
- We recommend the use of the HSM branded oil with our machines.
- We will accept credit card payments with the understanding that the purchaser is responsible for a credit card processing fee of 2.5%. This fee will be added to the invoice.



HSM – the company

Cutting. Shredding. Compressing.



Since 1971, HSM has been pursuing a clear strategy – a consistent commitment to quality "Made in Germany." This product and service quality is the key to success in both the office technology and environmental technology business sectors. As a specialist for products and services for data protection as well as technologies for optimising logistics and recycling processes, HSM is one of the world's leading providers.

Inquire now! We are always glad to help.

Head office in Germany:

HSM GmbH + Co. KG · Austraße 1-9 · 88699 Frickingen / Germany
Tel. +49 7554 2100-0 · Fax +49 7554 2100-160
info@hsm.eu · www.hsm.eu

E-mail / hotline:

Gratis Hotline
DE, AT, BE, NL, LU, DK
Tel. 00800 44 77 77 66
Fax 00800 44 77 77 67

HSM Vertrieb Deutschland
Deutschland@hsm.eu

HSM Vertrieb Österreich
Austria@hsm.eu

HSM Verkoop België, Nederland,
Luxemburg
Benelux@hsm.eu

HSM Salgs Support Danmark
Danmark@hsm.eu

HSM Commerciale Italia
Italia@hsm.eu

HSM subsidiaries and sales offices:

HSM GmbH + Co. KG
Oficina Barcelona
C/Tona
Nave nº 15 "El Lago"
Pol. Ind. Monguit
08480 L'Ametlla del Vallès
Barcelona
Spain

Tel. +34 93 8617187
Fax +34 93 8463417
Spain@hsm.eu
www.hsm.eu

HSM France SAS
Parc de Genève
240, Rue Ferdinand Perrier
69800 Saint-Priest
France

Tél. +33 472 210580
Fax +33 472 517481
France@hsm.eu
www.hsm.eu

HSM Polska Sp. z o.o.
ul. Emaliowa 28
02-295 Warszawa
Poland

Tel. +48 22 862-2369
Fax +48 22 862-2368
info@hsmpolska.com
www.hsm.eu

HSM (UK) Ltd.
14 Attwood Road / Zone 1
Burntwood Business Park
Burntwood · Staffordshire
WS7 3GJ
United Kingdom

Tel. +44 1543 272-480
Fax +44 1543 272-080
info@hsmuk.co.uk
www.hsmuk.co.uk

HSM of America LLC
419 Boot Road
Downington, PA 19335
Phone: (800) 613-2110
Fax (484) 237-2309
customerservice@hsmofamerica.com
info@hsmofamerica.com
www.hsmofamerica.com

HSM®