



Document shredders HSM SECURIO

Product overview

Document shredders HSM SECURIO

The document shredders HSM SECURIO stands for „Made in Germany“ quality at the highest level. Whether its C-line for use at home, B-line for small businesses or document shredders HSM SECURIO from the P-line for professional use: All HSM SECURIO shredders are premium appliances and are contemporary and reliable security partners.

Advantages:

- The hardened steel cutting rollers with a lifetime warranty can easily cope with staples and paper clips and guarantee durability.
- High quality materials and „Made in Germany“ quality for security and durability. With 3 years warranty.
- The HSM SECURIO document shredders are particularly efficient thanks to energy-saving management systems:
 - Zero power consumption in stand-by mode (models C14 and C16).
 - EcoSmart: Particularly low power consumption of 0.1 Watt in standby mode (models C18 to B35).
 - Energy-saving management system EMCS: 90 percent energy savings thanks to the sleep mode and automatic shutdown (models P36 to P44).
- The powerful motor ensures a high cutting capacity and reliable continuous operation.
- The device can be intuitively operated with the multifunction element.
- The filling level of the waste container can be seen at all times through the inspection window.
- Waste separation is easy, thanks to separate waste bags or separate containers for paper or CDs.*
- The automatic return flow solves paper jams and provides for a smooth operation.*
- User safety is paramount. A slight pressure on the safety element immediately stops the paper feed and prevents unintentional entry into the machine.*

* Depending on model



Technical data

Model	HSM SECURIO C14		HSM SECURIO C16		HSM SECURIO C18		HSM SECURIO B22	
Area of application	private / home office (1-3 people)		private / home office (1-3 people)		private / home office (1-3 people)		workplace (up to 5 people)	
Cutting type	strip cut	particle cut	strip cut	particle cut	strip cut	particle cut	strip cut	particle cut
Cutting size in mm	3.9	4 x 25	5.8 3.9	4 x 25	5.8 3.9	3.9 x 30 1.9 x 15	5.8 3.9	3.9 x 30 1.9 x 15 0.78 x 11
Security level DIN 66399	P-2 / T-2 / E-2	P-4 / T-4 / E-3 / F-1	P-2 / T-2 / E-2	P-4 / T-4 / E-3 / F-1	P-2 / O-2 / T-2 / E-2 P-2 / T-2 / E-2	P-4 / T-4 / E-3 / F-1 P-5 / T-5 / E-4 / F-2	P-2 / O-2 / T-2 / E-2 P-2 / T-2 / E-2	P-4 / T-4 / E-3 / F-1 P-5 / T-5 / E-4 / F-2 P-6 / F-3
Cutting performance in sheets DIN A4 (80 g/m ²)	10-12	5-6	15-17 12-14	6-7	17-19 13-15	8-9 6-7	17-19 13-15	9-11 7-9 4-5
Working width in mm	225		225		230		240	
Motor	300 W		300 W		360 W		440 W	
Voltage / frequency	230 V / 50 Hz		230 V / 50 Hz		230 V / 50 Hz		230 V / 50 Hz	
Dimensions in mm (W x D x L)	366 x 258 x 405		366 x 258 x 455		365 x 280 x 542		375 x 310 x 600	
Machine weight in kg	4.0	4.5	4.0	4.5	9.8	11	11.3	12.5
Collection volume in l	20		25		25		33	
Suitable for paper and								

All statements without guarantee. Subject to technical and design changes. ¹⁾ CDs CANNOT be destroyed in the following forces: HSM SECURIO C18 / HSM SECURIO B22: 3.9 mm; ²⁾ Credit cards CANNOT be destroyed in the following forces: HSM SECURIO B22: 0.78 x 11 mm and 1 x 5 mm; ³⁾ Paper clips CANNOT be destroyed in the following forces: HSM SECURIO B24: 1 x 5 mm.

HSM – a reason for every detail.



Actual zero power consumption in stand-by mode, thanks to ZES (Zero Energy Standby) in the models HSM SECURIO C14 and C16.



0.1 Watt power consumption in standby-mode for the document shredders HSM SECURIO C18 to B35.



Compared to standard stand-by function without HSM's energy-saving management system EMCS. Applies to all models starting from the HSM SECURIO P36.



Lifetime warranty on steel cutting rollers in HSM SECURIO document shredders at security levels P-2 to P-5.



3 years warranty for the document shredders HSM SECURIO.



HSM produces all document shredders in the HSM SECURIO range in Germany.



HSM SECURIO B24



HSM SECURIO B26



HSM SECURIO B32



HSM SECURIO B34

Model	HSM SECURIO B24		HSM SECURIO B26		HSM SECURIO B32		HSM SECURIO B34	
Area of application	workplace (up to 5 people)		workplace (up to 5 people)		workplace (up to 5 people)		open-plan office (up to 8 people)	
Cutting type	strip cut	particle cut	strip cut	particle cut	strip cut	particle cut	strip cut	particle cut
Cutting size in mm	5.8 3.9	4.5 x 30 1.9 x 15 0.78 x 11 1 x 5	5.8 3.9	4.5 x 30 1.9 x 15 0.78 x 11 1 x 5	5.8 3.9	4.5 x 30 1.9 x 15 0.78 x 11 1 x 5	5.8 3.9	4.5 x 30 1.9 x 15 0.78 x 11 1 x 5
Security level DIN 66399	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1 P-5 / T-5 / E-4 / F-2 P-6 / F-3 P-7 / F-3	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1 P-5 / T-5 / E-4 / F-2 P-6 / F-3 P-7 / F-3	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1 P-5 / T-5 / E-4 / F-2 P-6 / F-3 P-7 / F-3	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1 P-5 / T-5 / E-4 / F-2 P-6 / F-3 P-7 / F-3
Cutting performance in sheets DIN A4 (80 g/m ²)	25-27 19-21	14-16 9-11 6 4	25-27 19-21	14-16 9-11 6 4	25-27 19-21	14-16 9-11 6 4	30-32 25-27	19-21 12-13 8 5
Working width in mm	240		280		310		310	
Motor	500 W		500 W		500 W		590 W	
Voltage / frequency	230 V / 50 Hz		230 V / 50 Hz		230 V / 50 Hz		230 V / 50 Hz	
Dimensions in mm (W x D x L)	395 x 317 x 605		497 x 397 x 676		497 x 398 x 793		541 x 439 x 845	
Machine weight in kg	18.0	20.5	24.2	26.4-27.7	25.5	27	34.5	42
Collection volume in l	34		55		82		100	
Suitable for paper and								

All statements without guarantee. Subject to technical and design changes. ¹⁾ CDs CANNOT be destroyed in the following section sizes: HSM SECURIO B24 / HSM SECURIO B26 / HSM SECURIO B32 / HSM SECURIO B34: 1.9 x 15 mm, 0.78 x 11 mm and 1 x 5 mm. ²⁾ Credit cards CANNOT be destroyed in the following section sizes: HSM SECURIO B24 / HSM SECURIO B26 / HSM SECURIO B32 / HSM SECURIO B34: 0.78 x 11 mm and 1 x 5 mm. ³⁾ Paper clips CANNOT be destroyed in the following forces: generally at 1 x 5 mm.



Check which protection level your data needs according to the DIN standard 66399. The higher the security level (1-7), the smaller the particle of the shredded material. Join up your relevant media and the security level to choose the appropriate document shredder.



Low energy consumption, durable design and the avoidance of materials that are harmful to the environment characterise HSM document shredders. These were the reasons for awarding the document shredders from the HSM SECURIO series with the Blue Angel.



Available as option:

- ⓐ Automatic oiler for the cutting unit (250 ml)
- ⓓ Metal detection
- ⓒ Separate CD cutting unit in cutting size 4 x 7 mm
- ⓔ Separate CD cutting + metal detection
- Ⓜ Separate OMDD cutting unit for extra small CD- and credit card particles in 2 x 2 mm
- Ⓝ Separate OMDD cutting unit + metal detection
- Ⓟ PAPERcontrol for paper thickness measurement
- ⓞ PAPERcontrol + automatic oiler for the cutting unit (250 ml)



HSM SECURIO B35



HSM SECURIO P36/P40



HSM SECURIO P44

Model	HSM SECURIO B35		HSM SECURIO P36		HSM SECURIO P40		HSM SECURIO P44	
Area of application	open-plan office (up to 8 people)		department (up to 15 people)		department (up to 15 people)		department (up to 15 people)	
Cutting type	strip cut	particle cut	strip cut	particle cut	strip cut	particle cut	strip cut	particle cut
Cutting size in mm	5.8 3.9	4.5 x 30 1.9 x 15 0.78 x 11 1 x 5	5.8 3.9	4.5 x 30 1.9 x 15 0.78 x 11 1 x 5	5.8 3.9	4.5 x 30 1.9 x 15 0.78 x 11 1 x 5	5.8 3.9	3.9 x 40 1.9 x 15 0.78 x 11 1 x 5
Security level DIN 66399	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1 P-5 / T-5 / E-4 / F-2 P-6 / F-3 P-7 / F-3	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1 P-5 / T-5 / E-4 / F-2 P-6 / F-3 P-7 / F-3	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1 P-5 / O-4 / T-5 / E-4 / F-2 P-6 / F-3 P-7 / F-3	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1 P-5 / O-4 / T-5 / E-4 / F-2 P-6 / F-3 P-7 / F-3
Cutting performance in sheets DIN A4 (80 g/m ²)	35-37 26-28	21-22 14-15 9 5	39-41 31-33	25-27 15-17 10-11 7	51-53 40-42	31-33 18-20 12-13 8	70-72 56-58	39-41 23-25 15-16 10
Working width in mm	400		330		330		400	
Motor	590 W		1800 W		2100 W		2600 W	
Voltage / frequency	230 V / 50 Hz		230 V / 50 Hz		230 V / 50 Hz		230 V / 50 Hz	
Dimensions in mm (W x D x L)	618 x 525 x 870		580 x 550 x 936		580 x 550 x 936		700 x 592 x 1025	
Machine weight in kg	48.1 / 48.3	54.4-53.7	64	68	67	72	105	
Collection volume in l	130		145		145		205	
Suitable for paper and								

All statements without guarantee. Subject to technical and design changes. ¹⁾ **CDs** CANNOT be destroyed in the following forces: HSM SECURIO B35 / HSM SECURIO P36: 1.9 x 15 mm, 0.78 x 11 mm and 1 x 5 mm; HSM SECURIO P40 / HSM SECURIO P44: 0.78 x 11 mm and 1 x 5 mm. ²⁾ **Credit cards** CANNOT be destroyed in the following forces: HSM SECURIO B35 / HSM SECURIO P36: 0.78 x 11 mm and 1 x 5 mm; HSM SECURIO P40 / HSM SECURIO P44: 0.78 x 11 mm and 1 x 5 mm. ³⁾ **Disks** CANNOT be destroyed in the following forces: HSM SECURIO P36: 4.5 x 30 mm, 1.9 x 15 mm, 0.78 x 11 mm and 1 x 5 mm; HSM SECURIO P40: 1.9 x 15 mm, 0.78 mm x 11 and 1 x 5 mm; HSM SECURIO P44: 0.78 x 11 mm and 1 x 5 mm; ⁴⁾ **Paper clips** CANNOT be destroyed in the following forces: generally at 1 x 5 mm; ⁵⁾ **USB sticks** CANNOT be destroyed in the following forces: HSM SECURIO P44: 0.78 x 11 mm and 1 x 5 mm.

Document shredders HSM SECURIO AF

The tried and tested HSM SECURIO, now with automatic feed (auto feed). The simple and convenient method for data destruction in the workplace and for working groups. The HSM SECURIO AF easily, efficiently and safely shreds stacks of paper between 150 and 500 sheets (depending on model) and a single sheet of paper.

The advantages of the HSM SECURIO AF series:

- The document shredder with autofeed has a specially developed intake and transport rollers with Nanogrip Technology. This enables sheet after sheet to be pulled in securely from the stack of paper.
- Useful dual function: During the autofeed stack processing, it is possible to manually feed paper at the same time.
- It is possible to secure the paper stack inserted into the magazine against unauthorized access by using the Lock-and-Go function (except HSM SECURIO AF150).
- An integrated light barrier automatically starts the device if paper is fed in manually.
- For convenience, there are castors on the document shredder so it is easy to move around.
- In standby mode, intelligent control programme EcoSmart ensures there is a particularly low power consumption of 0.1 Watt.



HSM SECURIO AF150



HSM SECURIO AF300



HSM SECURIO AF500

Technical data

Model	HSM SECURIO AF150	HSM SECURIO AF300	HSM SECURIO AF500
Area of application	workplace (up to 5 people)	workplace (up to 5 people)	open-plan office (up to 8 people)
Cutting type	particle cut	particle cut	particle cut
Cutting size in mm	4.5 x 30 1.9 x 15 0.78 x 11	4.5 x 30 1.9 x 15 0.78 x 11	4.5 x 30 1.9 x 15 0.78 x 11
Security level DIN 66399	P-4/O-3/ T-4/E-3/F-1 P-5/ T-5/E-4/F-2 P-6/F-3	P-4/O-3/ T-4/E-3/F-1 P-5/ T-5/E-4/F-2 P-6/F-3	P-4/O-3/ T-4/E-3/F-1 P-5/ T-5/E-4/F-2 P-6/F-3
Cutting performance 80 g/m ² in sheets DIN A4	8-10 6-7 5	12-14 8-10 6	14-16 9-11 6
Magazine sheet capacity	max. 150	max. 300	max. 500
Working width in mm	240	240	240
Motor	500 W	500 W	500 W
Voltage / frequency	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Dimensions in mm (W x D x L)	395 x 381 x 740	395 x 435 x 837	497 x 491 x 1002
Machine weight in kg	18.5 / 18.3 / 18.7	19.0 / 18.9 / 19.3	29.5 / 28.6 / 29.7
Collection volume in l	34	34	82
Suitable for paper and	¹⁾	¹⁾	¹⁾

All technical data and dimensions are approximate. Subject to technical and design changes. ¹⁾ CDs CANNOT be destroyed in the following forces: HSM SECURIO AF150 / HSM SECURIO AF300 / HSM SECURIO AF500: 1.9 x 15 mm, 0.78 x 11 mm ²⁾ Credit cards CANNOT be destroyed in the following forces: HSM SECURIO AF150 / HSM SECURIO AF300 / HSM SECURIO AF500: 0.78 x 11 mm.

HSM – the company

Cutting. Shredding. Compressing.



Since 1971, HSM has been pursuing a clear strategy – a consistent commitment to quality “Made in Germany”. This product and service quality is the key to success in both the office technology and environmental technology business sectors. As a specialist for products and services for data protection as well as technologies for optimising logistics and recycling processes, HSM is one of the world’s leading providers.

Enquire now! We are always glad to help.

Head office in Germany:

HSM GmbH + Co. KG · Austraße 1-9 · 88699 Frickingen / Germany
Tel. +49 7554 2100-0 · Fax +49 7554 2100-160
info@hsm.eu · www.hsm.eu

E-Mail / hotline:

Gratis Hotline
DE, AT, BE, NL, LU, IT
Tel. 00800 44 77 77 66
Fax 00800 44 77 77 67

HSM Vertrieb Deutschland
Deutschland@hsm.eu

HSM Vertrieb Österreich
Austria@hsm.eu

HSM Vertrieb Schweiz
Schweiz@hsm.eu

HSM Verkoop België, Nederland,
Luxemburg
Benelux@hsm.eu

HSM Salgs Support Danmark
Danmark@hsm.eu

HSM Commerciale Italia
Italia@hsm.eu

HSM subsidiaries:

HSM Técnica de Oficina
y Medioambiente, España, S.L.U.
C/Tona
Nave nº 15 “El Lago”
Pol. Ind. Monguit
08480 L’Ametlla del Vallès
Barcelona
Espana (Spain)
Tel. +34 93 8617187
Fax +34 93 8463417
Spain@hsm.eu
www.hsm.eu

HSM France SAS
Parc de Genève
240, Rue Ferdinand Perrier
69800 Saint-Priest
France
Tél. +33 472 210580
Fax +33 472 517481
France@hsm.eu
www.hsm.eu

HSM of America LLC
419 Boot Road
Downingtown
PA 19335
USA
Tel. +1 484 237-2308
+1 800 613-2110
Fax +1 484 237-2309
customerservice@hsm.us
info@hsm.us
www.hsm.us

HSM (UK) Ltd.
14 Attwood Road / Zone 1
Burntwood Business Park
Burntwood · Staffordshire
WS7 3GJ
United Kingdom
Tel. +44 1543 272-480
Fax +44 1543 272-080
info@hsmuk.co.uk
www.hsm.eu

HSM Polska Sp. z o.o.
ul. Emaliowa 28
02-295 Warsaw
Polska (Poland)
Tel. +48 22 862-2369
Fax +48 22 862-2368
Handlowy@hsm.eu
www.hsm.eu

Always close at hand – your local HSM distributor:

Re Business Solutions
800-533-9949
www.reonline.com